

FARRER ANGUS



**38
ANGUS
BULLS**

**16TH JUNE 2021
12:00PM**

HELMSMAN BUYING SYSTEM

**19TH ANNUAL
ON-PROPERTY SALE**



Question: why buy a **Farrer Bull?**

- Bulls have been DNA tested for parental verification.
- Bulls have been bred using a mix of leading US and Australian bred AI sire lines.
- Bulls have been structurally assessed by JimGreen, an independent accredited assessor with Beef Xcel.
- Bulls are Vet checked including extruded penile examination, scrotal circumference measurement and full semen test.
- Our bulls suit a range of MARKET SPECIFICATIONS.
- Bulls are vaccinated against Leptospirosis, Vibriosis, Three Day Sickness and Pestivirus.
- All bulls have been extensively handled by students.
- Free delivery for the 300km.
- Farrer is a leading 'educational stud' that is committed to demonstrating only 'best practice' to its students at all times.
- You are buying bulls from a herd that concentrates on quality assurance at every critical point making our bulls DISTINCTIVE.
- Bulls sold concurrently with Auctionsplus. www.auctionplus.com.au

Answer: he's a
'Product of Distinction'

SALE INFORMATION

PRE-SALE INSPECTIONS

The bulls will be penned and available for inspection by 9.00am sale morning. Inspections prior to Sale day can be arranged at any time – contact Niaomi Evans on 0428 118 755

HERD HEALTH STATUS

All bulls have been treated for worms and lice and given an annual booster vaccination with 7 in 1, Vibriovax, 3 day sickness and Pestivirus prior to sale.

All bulls were semen tested by Piper Street Vet Clinic.

AGENTS:



Elders Tamworth

Telephone 6765 3900

Nathan McConnell 0429 653 901 Nathan.McConnell@elders.com.au

Shane Rule 0427 456 878 Shane.Rule@elders.com.au

REGISTRATION

All registered stock as stated in the catalogue are eligible for transfer.

Please ensure correct name, address and **PIC (Property Identification Code)** is printed on the Buyer's Identification Slip supplied in this catalogue.

GST

Bulls will be sold GST exclusive, ie. If the bull is knocked down for \$4000, you will be charged \$4400.

INSURANCE

There is no vendor insurance on bulls. It will be the responsibility of the purchaser to insure their bulls.

This can be arranged through Elders or your own insurance representative.

The vendor takes all care but no responsibility after the sale.

TRANSPORT

Farrer will be providing free delivery for the first 300 km. For clients in close proximity delivery will be direct. However for those further away delivery will be to your nearest selling centre unless on route. Delivery will be organised through Farrer. **Please fill out your Buyers Instruction Slip prior to leaving as no verbal instructions will be remembered!!**

LUNCH

Complimentary BBQ provided.

PHONE BIDDING

Phone bidding will be available on the day on 0428 118 755 or Nathan McConnell 0429 653 901.

REBATES

A rebate of 2% will be paid on any purchase influenced by a registered agent – provided they advise Elders in writing prior to the sale OR accompany the purchaser to the Sale. **Fax No. (02) 6764 8669**

CATALOGUE DETAILS AVAILABLE ON THE WEB VIA:

The Angus Society Website: www.angusaustralia.com.au

Contact: **NIAOMI EVANS on 0428 118 755**

Auctionsplus: www.auctionsplus.com.au

Bulls will be sold concurrently at Auctionsplus via their website.

LOCATION: Farrer is located on the southeast boundary of Tamworth City.

If coming from the south, turn right into Calala Lane, at the first roundabout encountered.

If coming from the north, turn left on the northern edge of the city opposite Nemingha Hotel.

From the west – take the signs to the New England Highway and turn left, then left again at Calala Lane.

FARRER 19TH ANNUAL ON – PROPERTY BULL SALE 2021

Welcome to the 19th Annual Farrer Angus Bull Sale. Highlights since last years sale;

- Over the last 12 months we have continued to seek partnerships with various leaders in the agricultural sector. We would like to acknowledge and thank Boehringer Ingelheim, Clipex and Upper Murray Seeds for their willingness and generosity in entering into ongoing partnerships with Farrer. All of these industry leaders have provided both the school and more importantly the students with enhanced educational opportunities and outcomes. We look forward to continuing these very worthwhile partnerships over the long term. These partnerships are yet another avenue for the students at Farrer to gain valuable insight into a variety of the latest technological advancements in the agricultural sector. We would again like to thank all of the staff at these facilities for their continued support of the school and its students. We hope that we will be able to form a number of other lasting partnerships, which will benefit the student's, school and the industries themselves for many years to come.
- Our new Clipex Cattle yards have been utilised for the last year. The students appreciate the opportunity to learn and work with some of the most up to date technology and livestock handling systems. We look forward to utilising them for many years to come and really appreciate all of the support that Clipex has provided us.
- Like many in the north west, 2020 & the start of 2021 have been very kind to us with good rainfall and plenty of pasture available for our livestock. This has allowed the bulls to be prepared mainly on pastures. They are currently grazing on a forage oat crop, with ad-lib cereal hay & silage. They also receive Bull Show & Shine 18% protein pellets at a rate of 4kg/hd/day.
- The Certificate III Agriculture students have decided to retain 2 of the Q bulls to use as back ups to the AI Program. They hope to follow with a similar system to the Farrer White Suffolk Stud where the bulls will be used to back up the AI program as a 2 year old and will then be offered in the bull sale the following year as a 3 year old. The students have selected NFSQ64 & NFSQ67 - these are bulls that offer a balanced set of TACE EBVs whilst also exhibiting the physical characteristics of structural soundness, length, muscling & sire appeal that the students have been looking for. We will also be looking at local sales to find an additional stud sire.
- Our AI Program continued in 2020 with the use of some new bulls to the market, sires selected were: Montana Elevation, GAR Hometown, Texas Quantam Leap, Landfall Keystone K132, GAR Sure Fire, Knowla Pepper P91. Our backup bulls are Knowla Mandela M113, Hazeldean Leura L14, Knowla Nambour N24. We look forward to seeing these calves on the ground.
- Farrer continued its genetic testing program again this year in line with the Certificate III Agriculture syllabus. All students were involved in the collection of DNA samples in order to demonstrate the latest technological advances in the Angus breed in terms of i50K genomics.

The bulls have been run as one management group since birth, with the exception of Q44 who is running by himself after being treated for an ear infection.

This year we have selected another very even draft of bulls with plenty to offer the astute buyer. Our draft of Ayrvale Grade G5, Baldrige Command C036, GAR Fail Safe, GAR Scale House, Hazeldean Leura L14, Knowla Mandela M113, Knowla Nambour N24 and QHF WWA Black Onyx 5Q11 show tremendous growth with thickness and style.

Bulls have been structurally assessed by Jim Green of 'BEEFXCEL', a highly qualified and independent assessor on the 8th February.

All bulls have been vaccinated against Leptospirosis, Pestivirus, Vibriosis and Three Day Sickness. Semen testing was carried out by Piper Street Vet Clinic (02 67663088) on the 13th May 2021.

A huge thank you to the AQF III Beef students who have been actively involved in the direction and management of the stud. Their contributions include; sire selection, animal husbandry including vaccinating, drenching, calving supervision, helping cataloguing, and conducting the Annual Bull Sale. I thank the students for their commitment, effort and interest in striving to continually improve the Farrer Angus Stud.

We hope you leave with a bull or two and if not leave with a good impression of our school, its students and our sale.

Good luck and thank you for your interest and continued support.

BEEFCLASS STRUCTURAL ASSESSMENT

How to use:

The Beef Class Structural Assessment System uses a 1-9 scoring system for feet and leg structure:

- A score of 5 is ideal
- 4 and 6 show slight variation from ideal, but this includes most animals. Any animal scoring 4 and 6 would be acceptable in any breeding program
- 3 and 7 shows greater variation, but would be acceptable in most commercial breeding programs, however seedstock producers should be wary
- 2 and 8 are low scoring animals and should be looked at carefully before purchasing

A 1-5 scoring system is used for sheath attachment. For feet and leg assessment, animals need to be on a hard, flat and even surface where animal can move/stand naturally.

Traits:

	<i>Scoring Range</i>	<i>Description</i>
Front Feet Claw Set	1 - 9	1 - open divergent; 5 - good; 9 - extreme scissor claw
Rear Feet Claw Set	1 - 9	1 - open divergent; 5 - good; 9 - extreme scissor claw




Reference: Shape (primarily curl) and evenness of the claw set.

Front Feet Angle	1 - 9	1 - steep (stubbied toe); 5 - good; 9 - shallow heel
Rear Feet Angle	1 - 9	1 - steep (stubbied toe); 5 - good; 9 - shallow heel




Reference: Strength of pastern, depth of heel and length of foot.

Rear Legs Side View	1 - 9	1 - straight (post legged); 5 - good; 9 - sickle hocked
----------------------------	-------	---



Reference: Angle measured at the front of the hock.

Rear Leg Hind View	1 - 9	1 - bow legged; 5 - good (parallel) ; 9 - cow hocked
---------------------------	-------	--



Reference: Direction of the feet when viewed from the rear.

Muscle Score:

A - E (includes + and -)

A+ = Double-muscled

A = Extremely heavy muscle

- pronounced creasing between muscles

B = Heavily muscled

- well rounded hindquarter

C = Average muscle

- hindquarter slightly rounded

D = Poor muscle

- narrow concave hindquarter


E = Extremely poor muscle

- angular

Reference: Primarily hindquarter roundness or convexity, width across the stifle and width of stance. Also width and muscle expression across the back, particularly behind the shoulder and in the loin. Jump muscle (about the P8 site) and forearm bulge may be taken into consideration.

Sheath and Naval Scores

5 - 1 5 - extremely clean/tight to body; 1 - extremely pendulous



Reference: Sheath attachment

Temperament

Reference: 1-5 (half scores permitted) using yard test scale below:

1. Docile
The animal is easily held in the corner and the handler can get close enough to put their stick on the animal.
2. Restless
The animal can be held in the corner but exhibits some restlessness and flicking of the tail. The handler cannot get close enough to put their stick on the animal before it moves away.
3. Nervous
The animal is not easily held in the corner even when the handler is some distance back from the animal, continual movement and tail flicking.
4. Flighty (wild)
The animal cannot be held in the corner, frantically runs the fence line and may jump when penned individually, exhibits long flight distance.
5. Aggressive
Similar behavior to score 4 but is also aggressive towards the handler, stares at the handler and threatens to charge or charges (Handler is advised to exit the yard before the animal actually charges).

RECESSIVE GENETIC CONDITIONS

This is information for bull buyers about the recessive genetic conditions, Arthrogyrosis Multiplex (AM), Hydrocephalus (NH), Contractural Arachnodactyly (CA) and Developmental Duplications (DD).

Putting undesirable Genetic Recessive Conditions in perspective

All animals, including humans, carry single copies (alleles) of undesirable or “broken” genes. In single copy form, these undesirable alleles usually cause no harm to the individual.

But when animals carry 2 copies of certain undesirable or “broken” alleles it often results in bad consequences. Advances in genomics have facilitated the development of accurate diagnostic tests to enable the identification and management of numerous undesirable or “broken” genes.

Angus Australia is proactive in providing its members and their clients with relevant tools and information to assist them in the management of known undesirable genes and our members are leading the industry in their use of this technology.

What are AM, NH, CA and DD?

AM, NH, CA and DD are all recessive conditions caused by “broken” alleles within the DNA of individual animals. When a calf inherits 2 copies of the AM or NH alleles their development is so adversely affected that they will be still-born.

In other cases, such as CA and DD, calves carrying 2 copies of the broken allele may reach full-term. In such cases the animal may either appear relatively normal, or show physical symptoms that affect their health and/or performance.

How are the conditions inherited?

Research in the U.S. and Australia indicates that AM, NH, CA and DD are simply inherited recessive conditions. This means that a single gene (or pair of alleles) controls the condition.

For this mode of inheritance two copies of the undesirable allele need to be present before the condition is seen; in which case you may get an abnormal calf. A more common example of a trait with a simple recessive pattern of inheritance is black and red coat colour.

Animals with only one copy of the undesirable allele (and one copy of the normal form of the allele) appear normal and are known as “carriers”.

What happens when carriers are mated to other animals?

Carriers, will on average, pass the undesirable allele to a random half (50 %) of their progeny.

When a carrier bull and carrier cow is mated, there is a 25% chance that the resultant calf will inherit two normal alleles, a 50% chance that the mating will result in a carrier (i.e. with just 1 copy of the undesirable allele), and a 25% chance that the calf will inherit two copies of the undesirable gene.

If animals tested free of the undesirable gene are mated to carrier animals the condition will not be expressed at all. All calves will appear normal, but approximately half (50%) could be expected to be carriers.

How is the genetic status of animals reported?

DNA-based diagnostic tests have been developed which can be used to determine whether an individual animal is either a carrier or free of the alleles resulting in AM, NH, CA or DD.

Angus Australia uses advanced software to calculate the probability of (untested) animals to being carriers of AM, NH, CA or DD. The software uses the test results of any relatives in the calculations and the probabilities may change as new results for additional animals become available.

The genetic status of animals is being reported using five categories:

AMF	Tested AM free
AMFU	Based on Pedigree AM free - Animal has not been tested
AM_%	_% probability the animal is an AM carrier
AMC	Tested AM-Carrier
AMA	AM-Affected

For NH, CA and DD, simply replace AM in the above table with NH, CA or DD.

Registration certificates and the Angus Australia web-database display these codes. This information is displayed on the animal details page and can be accessed by conducting an “Database Search” from the Angus Australia website or looking up individual animals listed in a sale catalogue.

Implications for Commercial Producers

Your decision on the importance of the genetic condition status of replacement bulls should depend on the genetics of your cow herd (which bulls you previously used) and whether some female progeny will be retained or sold as breeders.

Most Angus breeders are proactive and transparent in managing known genetic conditions, endeavouring to provide the best information available. The greatest risk to the commercial sector from undesirable genetic recessive conditions comes from unregistered bulls with unknown genetic background. The genetic condition testing that Angus Australia seedstock producers are investing in provides buyers of registered Angus bulls with unmatched quality assurance.

For further information contact Angus Australia’s Breed Development & Extension Manager on (02) 6773 4618.



What is the TransTasman Angus Cattle Evaluation?

The TransTasman Angus Cattle Evaluation is the genetic evaluation program adopted by Angus Australia for Angus and Angus influenced beef cattle. The TransTasman Angus Cattle Evaluation uses Best Linear Unbiased Prediction (BLUP) technology to produce Estimated Breeding Values (EBVs) of recorded cattle for a range of important production traits (e.g. weight, carcass, fertility).

The TransTasman Angus Cattle Evaluation is an international genetic evaluation and includes pedigree, performance and genomic information from the Angus Australia and Angus New Zealand databases, along with selected information from the American and Canadian Angus Associations.

The TransTasman Angus Cattle Evaluation utilises a range of genetic evaluation software, including the internationally recognised BLUPF90 family of programs, and BREEDPLAN® beef genetic evaluation analytical software, as developed by the Animal Genetics and Breeding Unit (AGBU), a joint institute of NSW Agriculture and the University of New England, and Meat and Livestock Australia Limited (MLA).

What is an EBV?

An animal's breeding value can be defined as its genetic merit for each trait. While it is not possible to determine an animal's true breeding value, it is possible to estimate it. These estimates of an animal's true breeding value are called EBVs (Estimated Breeding Values).

EBVs are expressed as the difference between an individual animal's genetics and a historical genetic level (i.e. group of animals) within the TACE genetic evaluation, and are reported in the units in which the measurements are taken.

Using EBVs to Compare the Genetics of Two Animals

TACE EBVs can be used to estimate the expected difference in the genetics of two animals, with the expected difference equating to half the difference in the EBVs of the animals, all other things being equal (e.g. they are joined to the same animal/s).

For example, a bull with a 200 Day Growth EBV of +60 would be expected to produce progeny that are, on average, 10 kg heavier at 200 days of age than a bull with a 200 Day Growth EBV of +40 kg (i.e. 20 kg difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Or similarly, a bull with an IMF EBV of +3.0 would be expected to produce progeny with on average, 1% more intramuscular fat in a 400 kg carcass than a bull with a IMF EBV of +1.0 (i.e. 2% difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Using EBVs to Benchmark an Animal's Genetics with the Breed

EBVs can also be used to benchmark an animal's genetics relative to the genetics of other Angus or Angus infused animals in Australia.

To benchmark an animal's genetics relative to other Angus animals, an animal's EBV can be compared to the EBV reference tables, which provide:

- the breed average EBV
- the percentile bands table

The current breed average EBV is listed on the bottom of each page in this publication, while the current EBV reference tables are included at the end of these introductory notes. For easy reference, the percentile band in which an animal's EBV ranks is also published in association with the EBV.

Considering Accuracy

An accuracy value is published with each EBV, and is usually displayed as a percentage value immediately below the EBV.

The accuracy value provides an indication of the reliability of the EBV in estimating the animal's genetics (or true breeding value), and is an indication of the amount of information that has been used in the calculation of the EBV.

EBVs with accuracy values below 50% should be considered as preliminary or of low accuracy, 50-74% as of medium accuracy, 75-90% of medium to high accuracy, and 90% or greater as high accuracy.

Description of TACE EBVs

EBVs are calculated for a range of traits within TACE, covering calving ease, growth, fertility, maternal performance, carcass merit, feed efficiency and structural soundness. A description of each EBV included in this publication is provided on the following page.

UNDERSTANDING ESTIMATED BREEDING VALUES (EBVS)

Birth	CEDir	%	Genetic differences in the ability of a sire's calves to be born unassisted from 2 year old heifers.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	CEDtrs	%	Genetic differences in the ability of a sire's daughters to calve unassisted at 2 years of age.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	GL	days	Genetic differences between animals in the length of time from the date of conception to the birth of the calf.	Lower EBVs indicate shorter gestation length.
	BW	kg	Genetic differences between animals in calf weight at birth.	Lower EBVs indicate lighter birth weight.
Growth	200 Day	kg	Genetic differences between animals in live weight at 200 days of age due to genetics for growth.	Higher EBVs indicate heavier live weight.
	400 Day	kg	Genetic differences between animals in live weight at 400 days of age.	Higher EBVs indicate heavier live weight.
	600 Day	kg	Genetic differences between animals in live weight at 600 days of age.	Higher EBVs indicate heavier live weight.
	MCW	kg	Genetic differences between animals in live weight of cows at 5 years of age.	Higher EBVs indicate heavier mature weight.
	Milk	kg	Genetic differences between animals in live weight at 200 days of age due to the maternal contribution of its dam.	Higher EBVs indicate heavier live weight.
Fertility	DtC	days	Genetic differences between animals in the time from the start of the joining period (i.e. when the female is introduced to a bull) until subsequent calving.	Lower EBVs indicate shorter time to calving.
	SS	cm	Genetic differences between animals in scrotal circumference at 400 days of age.	Higher EBVs indicate larger scrotal circumference.
	CWT	kg	Genetic differences between animals in hot standard carcass weight at 750 days of age.	Higher EBVs indicate heavier carcass weight.
Carcass	EMA	cm ²	Genetic differences between animals in eye muscle area at the 12/13th rib site in a 400 kg carcass.	Higher EBVs indicate larger eye muscle area.
	Rib Fat	mm	Genetic differences between animals in fat depth at the 12/13th rib site in a 400 kg carcass.	Higher EBVs indicate more fat.
	P8 Fat	mm	Genetic differences between animals in fat depth at the P8 rump site in a 400 kg carcass.	Higher EBVs indicate more fat.
	RBV	%	Genetic differences between animals in boned out saleable meat from a 400 kg carcass.	Higher EBVs indicate higher yield.
	IMF	%	Genetic differences between animals in intramuscular fat (marbling) at the 12/13th rib site in a 400 kg carcass.	Higher EBVs indicate more intramuscular fat.
Other	NFI-F	kg/day	Genetic differences between animals in feed intake at a standard weight and rate of weight gain when animals are in a feedlot finishing phase.	Lower EBVs indicate more feed efficiency.
	Doc	%	Genetic differences between animals in temperament.	Higher EBVs indicate better temperament.
Structure	Foot Angle	score	Genetic differences in foot angle (strength of pastern, depth of heel).	Lower EBVs indicate more desirable foot angle.
	Claw Set	score	Genetic differences in claw set structure (shape and evenness of claws).	Lower EBVs indicate more desirable claw structure.
Selection Index	ABI	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular production system or market end-point, but identifies animals that will improve overall profitability in the majority of commercial grass and grain finishing beef production systems.	Higher selection index values indicate greater profitability.
	DOM	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting the domestic supermarket trade.	Higher selection index values indicate greater profitability.
	HGRN	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture grown steers with a 250 day feedlot finishing period for the grain fed high quality, highly marbled markets.	Higher selection index values indicate greater profitability.
	HGRS	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture finished steers.	Higher selection index values indicate greater profitability.

Trans Tasman Angus Cattle Evaluation - May 2021 Reference Tables

BREED AVERAGE EBVs

Brd Avg	Calving Ease			Birth			Growth			Fertility			Carcass			Other			Structure			Selection Indexes			
	Less Calving Difficulty	More Calving Difficulty	CEDirs	GL	BW	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBV	IMF	NFI-F	DOC	Angle	Claw	ABI	DOM	GRN
	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6	+0.98	+0.85	+119	+111	+126	+116

* Breed average represents the average EBV of all 2019 drop Australian Angus and Angus-influenced seedstock animals analysed in the May 2021 Trans Tasman Angus Cattle Evaluation .

PERCENTILE BANDS TABLE

% Band	Calving Ease			Birth			Growth			Fertility			Carcass			Other			Structure			Selection Indexes					
	Less Calving Difficulty	More Calving Difficulty	Calving Difficulty	Shorter Gestation Length	Lighter Birth Weight	200	400	600	MCW	Milk	SS	Shorter Time to Calving	Lighter Carcass Weight	Larger EMA	More Fat	P8	Higher Yield	More IMF	Greater Feed Efficiency	More Docile	Sound	More Angle	Claw Sound	ABI Greater Profitability	DOM Lower Profitability	GRN Greater Profitability	GRS Lower Profitability
1%	+12.1	+10.7	-10.5	+0.2	+66	+116	+156	+153	+28	+4.3	-9.8	+90	+12.4	+3.2	+3.2	+2.8	+4.5	-0.55	+33	+0.60	+0.42	+164	+140	+140	+140	+193	+151
5%	+9.8	+8.8	-8.6	+1.5	+60	+107	+142	+135	+24	+3.5	-8.3	+82	+10.2	+2.1	+2.0	+2.0	+3.8	-0.33	+25	+0.72	+0.56	+152	+132	+132	+132	+175	+141
10%	+8.4	+7.7	-7.6	+2.2	+57	+102	+136	+126	+22	+3.1	-7.5	+78	+9.1	+1.5	+1.4	+1.7	+3.4	-0.22	+20	+0.76	+0.62	+145	+128	+128	+128	+165	+136
15%	+7.4	+6.9	-7.0	+2.6	+56	+99	+131	+120	+21	+2.9	-7.0	+75	+8.4	+1.2	+1.0	+1.4	+3.1	-0.14	+18	+0.80	+0.66	+141	+125	+125	+125	+158	+132
20%	+6.6	+6.2	-6.5	+2.9	+54	+97	+128	+116	+20	+2.7	-6.6	+73	+7.8	+0.9	+0.7	+1.3	+2.9	-0.08	+16	+0.84	+0.70	+137	+123	+123	+123	+153	+130
25%	+5.8	+5.5	-6.1	+3.2	+53	+95	+125	+112	+20	+2.5	-6.2	+72	+7.4	+0.7	+0.5	+1.1	+2.7	-0.03	+14	+0.86	+0.72	+134	+119	+119	+119	+148	+127
30%	+5.1	+5.0	-5.7	+3.4	+52	+93	+122	+109	+19	+2.4	-5.9	+70	+7.0	+0.5	+0.3	+1.0	+2.5	+0.01	+12	+0.88	+0.76	+131	+119	+119	+119	+144	+125
35%	+4.5	+4.4	-5.4	+3.6	+51	+91	+120	+106	+19	+2.3	-5.6	+69	+6.7	+0.4	+0.1	+0.9	+2.3	+0.05	+11	+0.92	+0.78	+129	+117	+117	+117	+140	+123
40%	+3.8	+3.9	-5.1	+3.8	+50	+90	+118	+104	+18	+2.2	-5.3	+67	+6.4	+0.2	-0.1	+0.8	+2.2	+0.09	+9	+0.94	+0.80	+126	+116	+116	+116	+136	+121
45%	+3.2	+3.4	-4.8	+4.0	+49	+89	+116	+101	+17	+2.1	-5.0	+66	+6.1	+0.0	-0.3	+0.6	+2.1	+0.13	+8	+0.96	+0.82	+124	+114	+114	+114	+132	+119
50%	+2.5	+2.9	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+5.8	-0.1	-0.4	+0.5	+2.0	+0.17	+6	+0.98	+0.84	+121	+113	+113	+113	+128	+117
55%	+1.9	+2.3	-4.2	+4.4	+48	+86	+112	+96	+16	+1.9	-4.5	+64	+5.5	-0.3	-0.6	+0.4	+1.8	+0.21	+5	+1.00	+0.86	+119	+111	+111	+111	+125	+115
60%	+1.2	+1.8	-3.9	+4.6	+47	+84	+110	+93	+16	+1.8	-4.2	+63	+5.2	-0.4	-0.8	+0.3	+1.7	+0.24	+4	+1.02	+0.90	+116	+109	+109	+109	+113	+113
65%	+0.4	+1.2	-3.6	+4.8	+46	+83	+108	+91	+15	+1.6	-3.9	+61	+5.0	-0.6	-1.0	+0.2	+1.6	+0.28	+2	+1.04	+0.92	+113	+108	+108	+108	+117	+111
70%	-0.4	+0.6	-3.3	+5.0	+45	+81	+106	+88	+15	+1.5	-3.6	+60	+4.7	-0.7	-1.2	+0.1	+1.5	+0.33	+0	+1.06	+0.94	+110	+106	+106	+106	+112	+109
75%	-1.3	-0.1	-3.0	+5.3	+44	+80	+103	+85	+14	+1.4	-3.3	+58	+4.4	-0.9	-1.4	-0.1	+1.3	+0.37	-2	+1.08	+0.98	+107	+104	+104	+107	+106	+106
80%	-2.3	-0.9	-2.6	+5.6	+43	+78	+101	+82	+13	+1.3	-2.9	+57	+4.0	-1.1	-1.6	-0.2	+1.2	+0.43	-3	+1.12	+1.00	+103	+101	+101	+101	+103	+103
85%	-3.6	-1.8	-2.1	+5.9	+41	+76	+97	+78	+12	+1.1	-2.5	+54	+3.6	-1.4	-1.9	-0.4	+1.0	+0.49	-6	+1.14	+1.04	+98	+98	+98	+94	+99	+99
90%	-5.2	-3.1	-1.5	+6.3	+39	+72	+93	+72	+11	+0.9	-1.9	+52	+3.0	-1.7	-2.3	-0.7	+0.8	+0.57	-9	+1.20	+1.10	+91	+94	+94	+85	+94	+94
95%	-7.7	-5.0	-0.6	+6.9	+36	+68	+86	+64	+10	+0.5	-0.9	+47	+2.2	-2.1	-2.8	-1.1	+0.5	+0.70	-13	+1.26	+1.18	+81	+88	+88	+71	+86	+86
99%	-13.2	-9.3	+1.4	+8.3	+29	+56	+69	+46	+7	-0.2	+1.3	+37	+0.4	-3.1	-4.0	-1.9	-0.1	+0.95	-21	+1.41	+1.32	+54	+72	+72	+35	+66	+66

* The percentile bands represent the distribution of EBVs across the 2019 drop Australian Angus and Angus-influenced seedstock animals analysed in the May 2021 Trans Tasman Angus Cattle Evaluation .

EBV Quick Reference for Farrer 19th Annual On Property Sale

Animal Ident	Calving Ease		Birth			Growth					Fertility				Carcass				Other			Structural			Selection Indexes		
	CEDir	CEDirs	GL	BWT	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBV	IMF	NFLF	DOC	Angle	Claw	ABI	DOM	GRN	GRS		
1	NFSQ5	+2.7	+9.7	-9.4	+4.4	+53	+97	+114	+100	+11	+1.3	-7.4	+63	+6.6	+2.0	+3.2	+0.7	+1.9	-0.08	-	+1.22	+1.16	\$145	\$136	\$152	\$140	
2	NFSQ7	+9.5	+8.1	-8.6	+2.6	+48	+86	+110	+97	+12	+2.9	-5.0	+64	+8.2	+0.9	-1.7	+2.2	+1.4	+0.36	-	+1.12	+1.12	\$132	\$127	\$138	\$128	
3	NFSQ13	-0.4	+4.1	-6.2	+4.7	+52	+83	+106	+89	+11	+2.2	-6.4	+57	+4.3	+2.8	+3.1	-0.9	+2.5	+0.06	-	+1.18	+0.96	\$119	\$110	\$123	\$115	
4	NFSQ15	+8.3	+10.5	-6.2	+2.4	+46	+83	+112	+87	+18	+3.0	-7.7	+55	+5.3	+3.3	+2.5	+0.0	+1.5	+0.41	-	+0.86	+1.12	\$135	\$119	\$136	\$132	
5	NFSQ18	+11.1	+10.0	-7.1	+0.3	+39	+65	+83	+41	+24	+4.1	-5.9	+46	+10.0	+1.4	+1.6	+1.5	+2.2	+0.86	-	+1.14	+0.94	\$125	\$120	\$126	\$123	
6	NFSQ21	+4.9	+5.5	-2.9	+4.1	+54	+97	+120	+98	+15	+3.1	-6.1	+67	+6.1	+1.7	+0.2	+0.7	+1.2	+0.38	-	+1.06	+0.94	\$130	\$125	\$131	\$129	
7	NFSQ23	+6.1	+8.1	-3.4	+2.4	+36	+68	+78	+59	+19	+1.8	-7.4	+42	+6.6	+1.9	+1.0	+0.5	+1.9	+0.10	-	+1.18	+0.88	\$111	\$112	\$112	\$108	
8	NFSQ24	-4.0	+5.8	-4.6	+6.3	+52	+82	+106	+118	+5	+2.7	-8.8	+58	+6.0	+1.9	+0.3	+0.5	+1.8	+0.17	-	+1.14	+0.80	\$118	\$108	\$127	\$111	
9	NFSQ26	-0.9	+6.7	-5.7	+7.2	+63	+107	+154	+140	+17	+2.7	-2.9	+81	+6.2	-1.9	-3.3	+2.9	+1.0	-0.22	-	+0.86	+1.04	\$143	\$126	\$154	\$140	
10	NFSQ31	+7.5	+8.9	-5.9	+4.0	+61	+107	+147	+126	+15	+1.8	-6.8	+85	+11.1	-0.2	-1.2	+1.5	+1.7	+0.44	-	+1.22	+1.16	\$167	\$141	\$182	\$159	
11	NFSQ41	+1.4	+1.9	-4.5	+3.7	+64	+112	+145	+128	+13	+2.0	-5.6	+84	+10.2	-0.2	-2.4	+1.4	+3.6	+0.25	-	+0.96	+1.08	\$170	\$145	\$201	\$154	
12	NFSQ44	+1.6	+2.3	-7.9	+4.7	+57	+100	+122	+101	+22	+2.1	-5.4	+67	+10.2	-0.6	-0.3	+1.6	+1.9	+0.00	-	+0.94	+0.94	\$138	\$131	\$145	\$133	
13	NFSQ45	+6.7	+8.0	-7.1	+2.5	+61	+104	+138	+109	+20	+1.8	-4.5	+78	+4.9	-2.9	-3.9	+1.5	+2.8	-0.15	-	+0.88	+1.02	\$151	\$135	\$173	\$141	
14	NFSQ47	+4.9	+3.6	-4.4	+4.6	+62	+114	+161	+140	+24	+2.1	-3.8	+84	+4.9	-1.3	-1.9	+1.3	+1.1	-0.07	-	+1.06	+1.12	\$148	\$128	\$158	\$146	
15	NFSQ48	+5.4	+5.3	-6.0	+5.5	+62	+108	+146	+122	+14	+2.1	-5.4	+84	+5.2	-2.8	-4.7	+2.3	+1.4	-0.16	-	+1.22	+1.36	\$150	\$135	\$166	\$143	
16	NFSQ50	+11.0	+7.7	-6.0	+3.4	+56	+94	+133	+100	+16	+0.3	-4.2	+72	+10.7	-1.3	-1.6	+1.4	+2.5	+0.57	-	+1.00	+0.80	\$155	\$132	\$171	\$148	
17	NFSQ52	-0.8	+4.5	-5.4	+5.9	+59	+94	+115	+127	+8	+1.3	-5.9	+77	+4.8	-2.4	-4.7	+1.1	+2.3	-0.55	-	+0.96	+1.12	\$115	\$114	\$131	\$107	
18	NFSQ53	-9.5	-5.2	-3.4	+6.4	+61	+110	+141	+119	+18	+2.5	-1.5	+77	+8.8	-1.5	-0.9	+1.9	+1.6	-0.45	-	+0.94	+1.12	\$120	\$115	\$125	\$120	
19	NFSQ54	+6.8	+7.4	-7.4	+2.9	+50	+80	+102	+78	+17	+1.8	-4.3	+53	+12.5	+0.0	-0.4	+2.6	+1.8	+0.40	-	+0.80	+0.84	\$134	\$129	\$137	\$131	
20	NFSQ59	+6.5	+4.5	-5.6	+3.9	+54	+89	+122	+87	+21	+0.1	-3.8	+64	+14.6	-1.9	-1.9	+2.7	+1.7	+0.32	-	+0.78	+0.58	\$145	\$131	\$152	\$142	
21	NFSQ60	-9.3	-3.3	-6.8	+9.2	+73	+123	+162	+166	+15	+1.8	-2.4	+90	+10.0	-3.7	-6.8	+4.5	+1.4	-0.21	-	+1.10	+1.38	\$141	\$130	\$161	\$133	
22	NFSQ65	+8.2	+7.8	-2.3	+2.0	+64	+115	+154	+130	+23	+1.7	-4.6	+85	+9.5	-1.1	-3.3	+1.9	+1.7	+0.22	-	+1.10	+1.12	\$160	\$141	\$175	\$154	
23	NFSQ66	-1.5	+1.2	-5.1	+4.9	+55	+96	+135	+114	+18	+2.6	-4.9	+80	+8.5	-3.4	-3.5	+2.3	+2.7	+0.21	-	+0.96	+0.88	\$148	\$126	\$173	\$137	
24	NFSQ72	+4.4	+5.6	-4.0	+3.7	+68	+115	+150	+126	+16	+1.5	-7.6	+79	+7.2	-0.1	-0.2	+3.0	+3.0	+0.26	-	+1.10	+1.28	\$167	\$141	\$189	\$156	
25	NFSQ75	-5.6	+1.1	-5.3	+7.5	+62	+95	+123	+87	+13	+2.2	-7.2	+68	+6.3	-1.2	-1.0	+1.6	+1.8	-0.68	-	+0.96	+1.22	\$130	\$119	\$138	\$124	

CEDir	CEDirs	GL	BWT	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBV	IMF	NFLF	DOC	Angle	Claw	ABI	DOM	GRN	GRS
+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6	+0.98	+0.85	+119	+111	+126	+116



EBV Quick Reference for Farrer 19th Annual On Property Sale

Animal Ident	Calving Ease		Birth		Growth				Fertility				Carcass				Other				Structural			Selection Indexes		
	CEDir	CEDirs	GL	BWT	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBV	IMF	NFI-F	DOC	Angle	Claw	ABI	DOM	GRN	GRS	
26	NFSQ76	-2.1	+1.8	-4.2	+6.5	+99	+130	+100	+16	+1.6	-6.6	+75	+8.5	-1.8	-2.9	+1.6	+3.0	+0.40	-	+0.96	+1.16	\$149	\$130	\$171	\$136	
27	NFSQ79	+8.5	+4.3	-4.1	+2.3	+62	+74	+58	+14	+1.4	-7.4	+48	+6.1	+0.1	-0.9	+0.4	+2.4	+0.49	-	+1.10	+1.32	\$106	\$106	\$112	\$100	
28	NFSQ80	+3.2	+3.1	-2.8	+5.1	+62	+112	+115	+20	+3.0	-6.5	+83	+11.0	-3.7	-6.1	+4.3	+1.8	+0.26	-	+1.20	+1.32	\$171	\$152	\$196	\$158	
29	NFSQ81	-6.3	+2.9	-4.6	+6.1	+65	+105	+108	+17	+3.2	-3.8	+74	+10.3	-1.3	-2.4	+3.3	+1.4	+0.38	-	+0.96	+1.08	\$139	\$129	\$146	\$136	
30	NFSQ82	+0.7	+2.6	-3.6	+3.5	+49	+88	+93	+15	+3.5	-4.4	+61	+11.7	-0.1	-0.7	+2.0	+2.1	-0.01	-	+1.12	+1.20	\$131	\$125	\$140	\$126	
31	NFSQ85	-6.3	+5.3	-6.3	+7.5	+64	+109	+148	+8	+3.1	-7.7	+75	+6.2	+0.5	-0.8	+0.8	+1.9	+0.03	-	+1.18	+1.08	\$143	\$120	\$162	\$132	
32	NFSQ86	-9.2	-4.8	-1.6	+5.8	+64	+109	+135	+15	+2.2	-4.6	+83	+8.5	-3.2	-3.3	+2.0	+4.1	-0.13	-	+0.74	+1.02	\$148	\$132	\$181	\$132	
33	NFSQ90	+1.2	+8.1	-4.9	+5.8	+50	+83	+114	+14	+2.5	-6.4	+67	+7.4	-0.4	-1.7	+1.5	+1.8	+0.23	-	+1.22	+0.80	\$127	\$114	\$139	\$120	
34	NFSQ92	+10.0	+0.4	-6.7	+2.6	+43	+76	+108	+19	+0.8	-8.5	+63	+3.8	+0.2	+0.2	-0.7	+3.5	+0.47	-	+1.28	+0.92	\$134	\$109	\$157	\$120	
35	NFSQ93	+3.6	-2.9	-6.7	+5.7	+53	+86	+124	+15	+2.5	-6.6	+67	+3.6	-0.4	-1.1	+0.5	+2.0	-0.08	-	+1.06	+0.90	\$127	\$109	\$139	\$121	
36	NFSQ96	+6.1	+7.4	-4.2	+2.2	+42	+81	+100	+18	+1.7	-6.6	+61	+5.4	+1.5	+1.4	-0.5	+1.9	+0.31	-	+0.84	+1.18	\$119	\$114	\$121	\$117	
37	NFSQ97	-0.4	+2.5	-4.0	+7.2	+55	+100	+147	+17	+2.4	-4.9	+83	+5.1	-0.8	-1.2	+0.6	+2.7	+0.04	-	+1.38	+1.22	\$150	\$120	\$174	\$139	
38	NFSQ100	+5.6	-0.8	-3.9	+5.1	+54	+95	+137	+19	+1.4	-4.0	+76	+8.1	-1.7	-2.4	+1.9	+1.8	+0.18	-	+1.20	+0.88	\$143	\$122	\$156	\$137	
		CEDir	CEDirs	GL	BWT	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBV	IMF	NFI-F	DOC	Angle	Claw	ABI	DOM	GRN	GRS
		+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6	+0.98	+0.85	+119	+111	+126	+116

Top 20%



STANDARDS - WARRANTIES

VOLUNTARY WARRANTIES for bulls, females and embryos. Recommended for use by Angus Australia members selling at auction or by private treaty. Version 5 as at October 13, 2008.

BULLS

1. The seller warrants that:
 - (1) Bulls (except for bull calves at foot with their dam) are fertile and capable of natural service within 6 months of date of sale to the purchaser ("**Warranty Period**"); and
 - (2) Bulls are of the parentage as catalogued.
2. The seller will credit or refund the purchase price of bulls (excluding any costs and expenses of the purchaser in taking delivery):
 - (1) Where the purchaser claims a bull is infertile, upon the purchaser submitting a veterinary report after the expiration of the Warranty Period stating that the bull is infertile or incapable of natural service, and a Statutory Declaration by the purchaser to the effect that the substance of the report is true and correct. The veterinarian must state that in his/her opinion there is no evidence that the bull has suffered any injury or illness during the Warranty Period which could have affected his breeding ability. The veterinary report and Statutory Declaration must be forwarded to the seller within 14 days of the Warranty Period expiring. Any refund payable by the seller will be made within 21 days following the receipt by the seller of the veterinary report and Statutory Declaration.
 - (2) Where the purchaser claims the bull is not of the parentage catalogued, upon the purchaser submitting a DNA test or blood test within the Warranty Period indicating that the animal is not of stated parentage.
 - (3) Where the term "credit" is used means the giving by the seller to the purchaser of a sum equivalent to the amount of the purchase price for use by the purchaser only in relation to the purchaser from the seller of another female.
3. The purchaser acknowledges that the purchaser does not rely and it is unreasonable for the purchaser to rely on the skill or judgment of the seller as to whether the bulls supplied are reasonably fit for any purpose for which they are being acquired.

Disclaimer of Warranties

The seller makes no representations or warranties regarding the state, quality or condition of the bulls offered for sale or sold. The Trade Practices Act, 1974 (Cth) and certain corresponding State Legislation imply terms, conditions and warranties into some contracts for the supply of goods and services and prohibit the exclusion, restriction and modification of such terms ("Prescribed Terms"). Except as provided by the Prescribed Terms all terms, conditions and warranties express or implied by custom, law or statute in any way relating to the state, quality or condition of the females offered for sale or sold are hereby excluded.

Limitation of Liability

Except as provided by the Prescribed Terms, the seller shall not be liable for any indirect, incidental, special and/or consequential damages including but not limited to loss of profits arising out of any reliance by the purchaser on the information or content set out in this sale catalogue and/or the quality or condition of the bulls offered for sale or sold.

To the maximum extent permitted by law the seller's liability for breach of any Prescribed Term is limited at the option of the seller to:

- i. The replacement of the bull; or
- ii. The supply of an equivalent bull; or
- iii. The payment of the cost of replacing the bull or acquiring an equivalent bull.

The logo for CLIPPEX features the word "CLIPPEX" in a bold, sans-serif font. "CLIP" is in orange and "PEX" is in green. The letter "X" is stylized with a white outline and a green fill, resembling a cross or a fence post. A registered trademark symbol (®) is located to the upper right of the "X".

Fencing & Stockyards



BRINGING YOUR NEW BULL HOME

WHEN PURCHASING A BULL, CARE AND HANDLING AFTER THE SALE CAN BE AS IMPORTANT AS THE PURCHASE ITSELF. LOOKING AFTER YOUR BULL WELL DURING THE INITIAL STAGES OF HIS WORKING LIFE MAY ENSURE LONGEVITY AND SUCCESS WITHIN YOUR BREEDING HERD.

PURCHASE

Temperament is an important characteristic when selecting a bull. Selecting a bull that may be flighty or aggressive will make life difficult for you each time he is handled. Note which bulls continually push to the centre of a mob, run around, or are unreasonably nervous, aggressive or excited.

At the sale, note any changes of temperament by individual bulls. Some bulls that are quiet in the yard or paddock may not like the pressure and noise of the auction and become excited. Others that were excited beforehand get much worse in the sale ring and can really perform. Use the yard or paddock behaviour as a guide, rather than the temperament shown in the ring.

DELIVERY

When transporting your new bull insurance against loss in transit, accidental loss of use, or infertility, is sometimes provided by vendors. Where it is not, it is worth considering. After purchase tips:

- When purchasing, ask which health treatments he has received.
- Treat and handle him quietly at all times - no dogs, no buzzers. Talk to him and give him time and room to make up his mind.
- With more than one bull from different origins, you must be able to separate them on the truck.
- Make sure that the truck floor is covered to prevent bulls from slipping. Sand, sawdust or a floor grid will prevent bulls from being damaged by going down in transit.
- If you can arrange it, put a few quiet cows or steers on the truck with the bull. Let them down into a yard with the bulls for a while before loading and after unloading.
- Unload and reload during the trip as little as possible. If necessary, rest with water and feed. Treat bulls kindly your impatience or nervousness is easily transmitted to an animal unfamiliar to you and unsure of his environment.

IF YOU USE A PROFESSIONAL CARRIER:

- Make sure the carrier knows which bulls can be mixed together.

- Discuss with the carrier, resting procedures for long trips, expected delivery time, truck condition and quiet handling.
- Give ear tag and brand numbers to the carrier and make sure you have the carrier's phone number.
- If buying bulls from interstate, organise any necessary health tests before leaving and work out if any other requirements must be met before cattle can come into another State.

When buying bulls from far away, you may often have to fit in with other delivery arrangements to reduce cost. You should make it clear how you want your bulls handled.

ARRIVAL

When the bull or bulls arrive home, unload them at the yards into a group of house cows, steers or herd cows. Never jump them from the back of a truck directly into a paddock—it may be the last time you see them. Bulls from different origins should be put into separate yards with other cattle for company.

Provide hay and water, then leave them alone until the next morning.

The next day, bulls should receive routine health treatments. If they have not been treated before, all bulls should be vaccinated with:

- 5-in-1 vaccine;
- vibriosis vaccine;
- leptospirosis vaccine (if in areas like the Hunter where leptospirosis exists);
- three-day sickness vaccine (if in areas where this sickness can cause problems).

Give particular attention to preventing new bulls bringing vibriosis into a herd. Vibriosis, a sexually transmitted disease, causes infertility and abortions and is most commonly introduced to a clean herd by an infected bull. These bulls show no signs of the illness. Vaccinated bulls are free from vibriosis, so vaccinating bulls against the disease should be a routine practice.

Vaccination involves two injections, 4–6 weeks apart, at the time of introduction, and then a booster shot every year. Complete the vaccinations 4 weeks before joining.



BRINGING YOUR NEW BULL HOME

Consult with your veterinarian and draw up a policy for treating bulls on arrival and then annually. Bulls should be drenched to prevent introducing worms and, if necessary, should be treated for lice.

Plan to give follow-up vaccinations 4–6 weeks later. Leave the bulls in the yards for the next day or two on feed and water to allow them to settle down with other stock for company. A bull's behaviour will decide how quickly he can be moved out to paddocks.

MATING NEW YOUNG BULLS

Newly purchased young bulls should not be placed with older herd bulls for multiple-sire joining. The older, dominant bull will not allow the young bulls to work, and will knock them around while keeping them away from the cows.

Use new bulls in either single-sire groups or with young bulls their own age. If a number of young bulls are to be used together, run them together for a few weeks before joining starts. They sort out their pecking order quickly and have few problems later.

When the young bulls are working, inspect them regularly and closely.

MATING NEW YOUNG BULLS

Older working bulls also need special care and attention before mating starts. They should be tested or checked every year for physical soundness, testicle tone, and serving capacity or ability.

All bulls to be used must be free-moving, active and in good condition. Working bulls may need supplementary feeding before the joining season to bring up condition.

DURING MATING

- Check bulls at least twice each week for the first 2 months. Get up close to them and watch each bull walk; check for swellings around the sheath and for lameness.
- Have a spare bull or bulls available to replace any that break down. Replace any suspect bull immediately.
- Rotate bulls in single-sire groups to make sure that any bull infertility is covered. Single-sire joining works well but it has risks. The bulls must be checked regularly and carefully, or the bulls should be rotated every one or two cycles.

Bulls are a large investment for breeding herds and they have a major effect on herd fertility. A little time and attention to make sure they are fit, free from disease and actively working is well worthwhile.

NORTHERN AUSTRALIA

Although the Angus breed originated in a cooler climate, they can adapt to subtropical regions with many straight-bred and cross bred producers finding success in Northern Australia. Some of the following information may also be helpful for new bulls located in more temperate climates.

ADAPTATION

The key to Northern success for Angus is that cattle introduced from the Southern regions of Australia be allowed to adapt to their new environment before commencing their working life. If possible, a break of 3 months is advisable before you set your bull to work.

PURCHASE IN COOLER MONTHS

Ensure your bulls are in good condition before they do commence their working life. The cooler months are an ideal time to purchase and introduce Angus cattle, allowing them plenty of time to acclimatise.

CHANGE OF FEED SOURCE

When inducting Angus cattle into your herd consider their source of feed. Have you taken an animal which has been supplemented on grain straight to a dry pasture? Animals should be gradually changed over to their new feed to ensure they do not lose condition. This may involve using supplements which could include dry lick/urea blocks.

MANAGING CATTLE TICKS

For ticky areas, bulls should be vaccinated prior to transport and given another booster afterwards. Remember males are more susceptible to ticks than females.

Information is provided by the Department of Primary Industries NSW. For further information visit the DPI web site: www.dpi.nsw.gov.au. or www.angusaustralia.com.au. Further reading - Buying Angus Bulls

FOR FURTHER INFORMATION VISIT
www.angusaustralia.com.au

Angus Australia Locked Bag 11, Armidale NSW 2350
Phone: (02) 6772 3011 | Fax: (02) 6772 3095
Email: office@angusaustralia.com.au
Website: www.angusaustralia.com.au

DISCLAIMER AND PRIVACY INFORMATION

IMPORTANT NOTICES FOR PURCHASERS



ATTENTION BUYER: *Animal details included in this catalogue, including but not limited to pedigree, DNA information, Estimated Breeding Values (EBVs) and Index values, are based on information provided by the breeder or owner of the animal. Whilst all reasonable care has been taken to ensure that the information provided in this catalogue was correct at the time of publication, Angus Australia will assume no responsibility for the accuracy or completeness of the information, nor for the outcome (including consequential loss) of any action taken based on this information.*

Parent Verification Suffixes

The animals listed within this catalogue including its pedigree, are displaying a Parent Verification Suffix which indicates the DNA parent verification status that has been conducted on the animal. The Parent Verification Suffixes that will appear at the end of each animal's name are as follows:

PV: both parents have been verified by DNA

SV: the sire has been verified by DNA

DV: the dam has been verified by DNA

#: DNA verification has not yet been conducted

E: DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.

Privacy Information

In order for Angus Australia to process the transfer of a registered animal in this catalogue, the vendor will need to provide certain information to Angus Australia and the buyer consents to the collection and disclosure of that information by Angus Australia in certain circumstances. If the buyer does not wish for his or her information to be stored and disclosed by Angus Australia, the buyer must complete the form included below and forward it to Angus Australia. If the form is not completed, the buyer will be taken to have consented to the disclosure of such information.

BUYERS OPTION TO OPT OUT OF DISCLOSING PERSONAL INFORMATION TO ANGUS AUSTRALIA

If you do not complete this form, you will be taken to have consented to Angus Australia using your name, address and phone number for the purposes of effecting a change of registration of the animal(s) that you have purchased, maintaining its database and disclosing that information to its members on its website.

*I, the buyer of animals with the following idents.....
.....
from member.....(name) do not consent to Angus Australia using my name, address and phone number for the purposes of effecting a change of registration of the animals I have mentioned above that I have purchased, maintaining its database and disclosing that information to its members on its website.*

Name: Signature:

Date:

Please forward this completed consent form to Angus Australia, 86 Glen Innes Road, Armidale NSW 2350.

If you have any questions or queries regarding any of the above, please contact Angus Australia on (02) 6773 4600 or email office@angusaustralia.com.au

MODE OF SALE

Helmsman Buying System

The first Helmsman sale was conducted in 1990 by its originator Mr. Bruce Milne of "Helm View" Hereford stud, Coleraine Victoria. The Farrer Angus stud has successfully used this buying system for its annual bull sale for many years now. Its buyers have adapted rapidly to this system and are now our best advocates for the Helmsman buying system.

THE BENEFITS TO INTENDING PURCHASERS

1. You have more time to consider lodging a bid. You can place genuine bids on any sheep of your choice at any time during the sale period.
2. You have the opportunity to re-assess each lot during the sale period without any pressure to make an instant decision.
3. You take home bull/s you want, irrespective of the lot order.
4. You may use the buyers suggested price guide, which is based on measured production merit to give you a good estimate of each rams genetic worth in relation to other rams.
5. If you are considering buying a number of bulls, "HELMSMAN" will give you a better chance to average your purchase costs in order to meet your total budget.

HOW "HELMSMAN" WORKS

- * On arrival intending purchasers register at the bid table and receive a buying number
- * All bulls are displayed for your inspection as usual, with relevant information provided in the catalogue.
- * When the sale commences all the bull lots are in the market simultaneously. You may bid on any bull lot/s, regardless of lot number, by filling in a card and handing it to the receptionist at the bid table, or to a "runner"

FARRER STUD STOCK BID CARD

Lot Number	
Bid Value Minimal bid increments of \$500	\$
Buyer Number	

- * You may open bidding on any lot(s) and bids are in multiples of \$500
- * Bids are recorded with the Buyer's number on a large board (Helmsman sale board). You can bid on any number of bulls / lots at once and see at glance whether your bid still stands or has been over bid.

Farrer Stud Stock SALE BOARD				
Lot Number	1	2	3	4
Bid Value				
Bidders Number				

- * There is no pressure to commit yourself to another bid, and if your "first" choice bull goes beyond your limit, you can still bid on another bull in the sale.
- * A bid once submitted and recorded cannot be retracted, and a person submitting such bid will be responsible for it until it is overbid.
- * The sale will remain open for a minimum of 30 minutes. A bid registered in the last 1 minute will result in a 1 minute extension of selling time. Any further bids trigger the same process until a full 1 minute "No bid" period concludes the sale.

NB: The approximate sale time is 60 minutes: i.e. 30 minute sale open and approximately 30 minutes in the last minute tripper section until 1 minute of "no bids"

DISCLAIMER: All the information contained in the catalogue is supplied in good faith. However, the correctness, reliability and usefulness cannot be fully guaranteed and therefore should only be used as a guide.

ACKNOWLEDGMENTS: Thanks to the Year 12 Certificate III Beef students for their help in preparing and conducting the sale.

REFERENCE SIRES

RS AYRVALE GRADE G5^{PV}

AMFU,CAFU,DDF,NHFU

HBR

Calved: 06/09/2011

Sex: M

Ident: HIOG5

TE MANIA YORKSHIRE Y437^{PV}

Sire: VTMB1 TE MANIA BERKLEY B1^{PV}

TE MANIA LOWAN Z53[#]

TE MANIA BARTEL B219^{PV}

Dam: HIOE4 AYRVALE EXCEL E4^{PV}

EAGLEHAWK JEDDA B32^{SV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+10.3	+8.8	-8.4	+3.1	+50	+82	+104	+79	+10	+1.3	-10.8	+73	+8.0	+1.3	-0.7	+0.1	+2.8	+0.44	-17
Acc	65%	54%	95%	94%	92%	93%	94%	90%	89%	90%	62%	86%	81%	84%	84%	80%	83%	69%	--

Traits Observed: GL,BWT,200WT(x2),400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

Statistics: Number of Herds: 15, Prog Analysed: 185, Genomic Prog: 24

RS BALDRIDGE COMMAND C036^{PV}

AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF

HBR

Calved: 13/01/2015

Sex: M

Ident: USA18219911

EF COMPLEMENT 8088^{PV}

Sire: USA17082311 EF COMMANDO 1366^{PV}

RIVERBEND YOUNG LUCY W1470[#]

HOOVER DAM[#]

Dam: USA17770899 BALDRIDGE BLACKBIRD A030[#]

BALDRIDGE BLACKBIRD X89[#]

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+10.9	+9.1	-7.7	+2.6	+61	+105	+138	+108	+22	+0.3	-1.2	+75	+12.3	-1.9	-2.5	+2.3	+2.5	+0.47	+21
Acc	72%	51%	98%	98%	97%	97%	96%	93%	86%	95%	50%	86%	87%	87%	83%	81%	85%	66%	--

Traits Observed: Genomics

Statistics: Number of Herds: 104, Prog Analysed: 936, Genomic Prog: 214

RS G A R FAIL SAFE^{PV}

AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF

HBR

Calved: 16/08/2014

Sex: M

Ident: USA18181757

MYTTY IN FOCUS[#]

Sire: USA16205036 CONNEALY IN SURE 8524[#]

ENTREENA OF CONANGA 657[#]

G A R PROGRESS^{SV}

Dam: USA16734713 G A R PROGRESS 830[#]

G A R 111 RITO 3346[#]

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+5.4	+6.1	-6.2	+2.5	+50	+93	+127	+87	+24	+3.1	-1.9	+68	+7.3	-0.9	-1.4	+0.6	+4.0	+0.17	+8
Acc	76%	52%	98%	98%	97%	97%	97%	91%	83%	96%	54%	85%	87%	87%	83%	82%	85%	71%	--

Traits Observed: Genomics

Statistics: Number of Herds: 50, Prog Analysed: 525, Genomic Prog: 112

RS G A R SCALE HOUSE^{PV}

AMFU,CAFU,DDFU,NHFU

HBR

Calved: 14/08/2012

Sex: M

Ident: USA17354047

BOYD NEW DAY 8005[#]

Sire: USA14777016 MCC DAYBREAK[#]

MCC MISS FOCUS 134[#]

G A R NEW DESIGN 5050[#]

Dam: USA16496696 G A R 5050 NEW DESIGN 1039[#]

G A R OBJECTIVE 2345[#]

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	-1.2	+2.3	-5.1	+5.0	+74	+128	+162	+131	+15	+2.2	-3.1	+90	+12.7	-2.4	-5.1	+3.8	+2.3	+0.19	+13
Acc	57%	40%	96%	95%	92%	91%	89%	83%	77%	89%	48%	82%	80%	82%	78%	77%	79%	62%	--

Traits Observed: Genomics

Statistics: Number of Herds: 27, Prog Analysed: 204, Genomic Prog: 46

REFERENCE SIRES

RS HAZELDEAN LEURA L14^{SV}

AMFU,CAFU,DDFU,NHFU

HBR

Calved: 29/07/2015

Sex: M

Ident: NHZL14

BOOROOMOOKA UNDERTAKEN Y145^{PV}

Sire: **NORE11 RENNYLEA EDMUND E11^{PV}**

LAWSONS HENRY VIII Y5^{SV}

KC HAAS GPS[#]

Dam: **NHZJ221 HAZELDEAN J221[#]**

HAZELDEAN G215[#]

Selection Indexes

ABI	DOM	GRN	GRS
\$150	\$126	\$168	\$141

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t c	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+10.4	+3.1	-9.3	+2.9	+52	+95	+133	+110	+15	+2.4	-6.8	+79	+4.8	-0.1	-0.4	+0.4	+2.4	+0.35	+4
Acc	55%	47%	70%	84%	81%	79%	80%	77%	69%	77%	55%	73%	70%	73%	71%	71%	69%	63%	--

Traits Observed: CE,BWT,200WT,400WT,SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1),Genomics

Statistics: Number of Herds: 1, Prog Analysed: 23, Genomic Prog: 3

RS KNOWLA MANDELA M113^{PV}

AMFU,CAFU,DDFU,NHFU

HBR

Calved: 11/08/2016

Sex: M

Ident: BLAM113

AYRVALE BARTEL E7^{PV}

Sire: **NGMJ373 BOOROOMOOKA BARTEL J373^{SV}**

BOOROOMOOKA VALANCE G122[#]

MATAURI REALITY 839[#]

Dam: **BLAK73 KNOWLA DORIS K73^{SV}**

KNOWLA DORIS H05^{SV}

Selection Indexes

ABI	DOM	GRN	GRS
\$151	\$133	\$160	\$145

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t c	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+5.1	+9.6	-7.4	+4.6	+55	+97	+128	+118	+11	+3.4	-8.0	+71	+6.6	+2.4	+0.9	+1.3	+1.3	+0.41	+2
Acc	45%	37%	71%	80%	81%	82%	85%	77%	65%	80%	46%	73%	70%	75%	72%	71%	70%	58%	--

Traits Observed: BWT,200WT,400WT,600WT(x2),SC,Scan(EMA,Rib,Rump,IMF),DOC,Genomics

Statistics: Number of Herds: 1, Prog Analysed: 36, Genomic Prog: 0

RS KNOWLA NAMBOUR N24^{PV}

AMFU,CAFU,DDF,NHFU

HBR

Calved: 03/03/2017

Sex: M

Ident: BLAN24

PA POWER TOOL 9108^{SV}

Sire: **NURK8 MURRAY POWER TOOL K8^{PV}**

MURRAY INCENTIVE H99^{PV}

EF COMPLEMENT 8088^{PV}

Dam: **BLAL06 KNOWLA OAKGATE L06^{SV}**

KNOWLA OAKGATE J25^{PV}

Selection Indexes

ABI	DOM	GRN	GRS
\$138	\$123	\$146	\$132

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t c	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+5.3	+3.5	-4.1	+3.1	+53	+96	+123	+89	+21	+2.5	-7.5	+71	+2.8	+0.6	+2.0	-0.9	+2.4	+0.39	+7
Acc	40%	33%	68%	77%	74%	74%	75%	72%	64%	71%	43%	68%	65%	70%	67%	67%	65%	56%	--

Traits Observed: BWT,200WT,400WT,SC,Scan(EMA,Rib,Rump,IMF),DOC,Genomics

Statistics: Number of Herds: 1, Prog Analysed: 9, Genomic Prog: 0

RS QHF WWA BLACK ONYX 5Q11^{SV}

AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

HBR

Calved: 21/09/2015

Sex: M

Ident: USA18463791

CONNELY CONSENSUS 7229^{SV}

Sire: **USA17028963 CONNELLY BLACK GRANITE[#]**

EURALGA OF CONANGA 9109[#]

MCC DAYBREAK[#]

Dam: **USA16711193 WILKS BLACKCAP 0D82[#]**

QHF BLACKCAP 6E2 OF4V16 4355[#]

Selection Indexes

ABI	DOM	GRN	GRS
\$158	\$141	\$169	\$156

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t c	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+10.8	+9.6	-8.3	+1.3	+65	+121	+165	+135	+25	+1.3	-2.7	+90	+7.1	-1.5	-3.6	+1.9	+1.3	-0.15	+20
Acc	60%	38%	98%	97%	94%	94%	94%	84%	76%	92%	45%	83%	83%	84%	79%	78%	81%	61%	--

Traits Observed: Genomics

Statistics: Number of Herds: 50, Prog Analysed: 429, Genomic Prog: 55



WE'VE GOT ALL YOUR NEEDS COVERED.

Elders has played a key role in rural Australia for more than 180 years. As a leading agribusiness, we are committed to providing you with a solution that meets your needs across every aspect of your livestock business. Using our specialist knowledge and access to a national network of contacts and market information, we can help you determine the most effective way to source and sell your livestock.

Elders Tamworth
P. 02 6765 3900
E. dg_tamworth@elders.com.au

Jon Goudge	0428 668 005
Nathan McConnell	0429 653 901
Shane Rule	0427 456 878
Brian Kennedy	0427 844 047
Paul Jameson	0428 667 998
Lincoln McKinlay	0419 239 963



Elders

CLIPEX[®]

Fencing & Stockyards

— THE —
CATTLE HANDLING
EXPERTS



AUTOMATIC, PNEUMATIC, & MANUAL CRUSHES - SEMI & PERMANENT YARDS

CLIPEX.COM.AU

| 1800 65 77 66



EPRINEX®. THE POWER TO PRODUCE YOUR BEST.

Eprinex provides sustained activity to kill more species of worms for longer than any other pour-on. Eprinex is completely weather proof, not just rainfast - and has no milk or meat withholding period and no ESI.

For more information, call 1800 808 691 or visit your local store.
eprinex.com.au



See product label for full claim details and directions for use. Boehringer Ingelheim Animal Health Australia Pty. Ltd., Level 1, 78 Waterloo Road, North Ryde, NSW 2113 Australia. *EPRINEX is a registered trademark of the Boehringer Ingelheim Group. AUS/IVEP-181003



Marks-Min®

Injectable Trace Mineral with Vitamin B12 for Cattle

Injectable Trace Mineral with Vitamin B12 for cattle in a convenient single dose


For further information, contact your local rural store or call **Boehringer Ingelheim Customer Care on 1800 808 691.**

marksmin.com.au

See product label for full claim details and directions for use. Boehringer Ingelheim Animal Health Australia Pty. Ltd., Level 1, 78 Waterloo Road, North Ryde NSW 2113 Australia. ABN 53 071 187 285. *Marks-Min is a registered trademark of the Boehringer Ingelheim Group. AU-BOV-0008-2020



THE SMART START FOR YOUNG CATTLE.



What does an extra 5kg/head mean to you?

That's the difference making the smart choice for worm control in young cattle can have on productivity!

In a recent, multi-farm, study, weaners treated with Eclipse® - Australia's only dual active, broad spectrum pour-on - gained on average 5.1kg more than those treated with a single active ML over a period of 90 days¹.

For effective worm control in young cattle, choose your drench with confidence. Choose Eclipse for smarter productivity.

**FOR MORE INFORMATION,
CALL 1800 808 691
OR VISIT YOUR LOCAL STORE.
eclipsepouron.com.au**



¹Information contained in this document is based on trial results based on research conducted in partnership with Charles Sturt University. Data on file. Eclipse® is a registered trademark of the Boehringer Ingelheim Group. See product label for full claim details and directions for use. Boehringer Ingelheim Animal Health Australia Pty. Ltd., Level 1, 78 Waterloo Road, North Ryde, NSW 2113 Australia. ABN 53 071 187 285. All rights reserved. AUS/ECLP-181005-HP





LOT 2 Q7



LOT 3 Q13



LOT 11 Q41



LOT 14 Q47



LOT 15 Q48



LOT 18 Q53



LOT 22 Q65



LOT 36 Q96

Lot 1 FARRER Q5^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 30/06/2019 **Sex:** M **Ident:** NFSQ5
 BOOROOMOOKA BARTEL J373^{SV}

Sire: BLAM113 KNOWLA MANDELA M113^{PV}
 KNOWLA DORIS K73^{SV}
 PA FULL POWER 1208^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$145	\$136	\$152	\$140

Dam: NFSN63 FARRER N63^{PV}
 FARRER H075 H75^{SV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+2.7	+9.7	-9.4	+4.4	+53	+97	+114	+100	+11	+1.3	-7.4	+63	+6.6	+2.0	+3.2	+0.7	+1.9	-0.08	-
Acc	52%	35%	65%	70%	68%	67%	70%	66%	60%	67%	36%	63%	60%	66%	62%	63%	61%	51%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"Moderate easy doing bull with an expressive muscle pattern. Good neck extension and head carriage. In the Top 1% P8 fat. Top 5% Rib, DOM, Top 10% ABI, GRS, Top 20% 400."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	6	6	6	5	5	C+	1	5	

Purchaser..... \$.....

Lot 2 FARRER Q7^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 3/07/2019 **Sex:** M **Ident:** NFSQ7
 BOOROOMOOKA BARTEL J373^{SV}

Sire: BLAM113 KNOWLA MANDELA M113^{PV}
 KNOWLA DORIS K73^{SV}
 CLUNIE RANGE KING KONG K630^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$132	\$127	\$138	\$128

Dam: NFSN22 FARRER N22^{PV}
 FARRER L1^{PV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+9.5	+8.1	-8.6	+2.6	+48	+86	+110	+97	+12	+2.9	-5.0	+64	+8.2	+0.9	-1.7	+2.2	+1.4	+0.36	-
Acc	48%	32%	64%	70%	68%	68%	70%	66%	59%	67%	36%	63%	60%	67%	63%	60%	60%	50%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"Moderate low birthweight bull with depth & capacity. Top 5% RBY, Top 15% BW, SS, DOM, Top 20% EMA, Rib."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	5	6	6	6	5	C+	1	5	

Purchaser..... \$.....

Lot 3 FARRER Q13^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 11/07/2019 **Sex:** M **Ident:** NFSQ13
 BOOROOMOOKA BARTEL J373^{SV}

Sire: BLAM113 KNOWLA MANDELA M113^{PV}
 KNOWLA DORIS K73^{SV}
 CLUNIE RANGE KING KONG K630^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$119	\$110	\$123	\$115

Dam: NFSN28 FARRER N28^{PV}
 FARRER L92^{PV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	-0.4	+4.1	-6.2	+4.7	+52	+83	+106	+89	+11	+2.2	-6.4	+57	+4.3	+2.8	+3.1	-0.9	+2.5	+0.06	-
Acc	51%	33%	64%	70%	67%	66%	70%	65%	58%	67%	35%	62%	59%	65%	61%	62%	59%	49%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A bull with depth & capacity on a smaller made frame. Top 5% for Rib & P8 fat."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	6	5	6	5	5	C+	1	5	

Purchaser..... \$.....

Lot 4 FARRER Q15^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 14/07/2019 Sex: M Ident: NFSQ15
 BOOROOMOOKA BARTEL J373^{SV}

Sire: **BLAM113 KNOWLA MANDELA M113^{PV}**
 KNOWLA DORIS K73^{SV}
 CLUNIE RANGE KING KONG K630^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$135	\$119	\$136	\$132

Dam: **NFSN43 FARRER N43^{PV}**
 FARRER L58^{SV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+8.3	+10.5	-6.2	+2.4	+46	+83	+112	+87	+18	+3.0	-7.7	+55	+5.3	+3.3	+2.5	+0.0	+1.5	+0.41	-
Acc	48%	32%	62%	69%	66%	66%	69%	64%	57%	66%	35%	61%	58%	65%	61%	61%	58%	48%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"Moderate framed thickset, deep bodied bull with a good butt profile. Top 1% Rib, Top 5% P8, Top 15% BW, SS, Top 20% GRS."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	6	6	6	5	5	C+	1	4	

Purchaser..... \$.....

Lot 5 FARRER Q18^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 16/07/2019 Sex: M Ident: NFSQ18
 BOOROOMOOKA BARTEL J373^{SV}

Sire: **BLAM113 KNOWLA MANDELA M113^{PV}**
 KNOWLA DORIS K73^{SV}
 PA FULL POWER 1208^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$125	\$120	\$126	\$123

Dam: **NFSN64 FARRER N64^{PV}**
 FARRER H036 H36^{SV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+11.1	+10.0	-7.1	+0.3	+39	+65	+83	+41	+24	+4.1	-5.9	+46	+10.0	+1.4	+1.6	+1.5	+2.2	+0.86	-
Acc	50%	34%	63%	69%	66%	66%	69%	65%	58%	67%	37%	62%	59%	65%	61%	62%	60%	50%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"Moderate framed bull who is well muscled with natural thickness throughout the body. Top 5% BW, Milk, SS, Top 10%, EMA, P8. Top 15% RIB, RBY."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	6	6	6	5	5	C+	1	5	

Purchaser..... \$.....

Lot 6 FARRER Q21^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 22/07/2019 Sex: M Ident: NFSQ21
 BOOROOMOOKA BARTEL J373^{SV}

Sire: **BLAM113 KNOWLA MANDELA M113^{PV}**
 KNOWLA DORIS K73^{SV}
 CLUNIE RANGE KING KONG K630^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$130	\$125	\$131	\$129

Dam: **NFSN33 FARRER N33^{PV}**
 FARRER L26^{PV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+4.9	+5.5	-2.9	+4.1	+54	+97	+120	+98	+15	+3.1	-6.1	+67	+6.1	+1.7	+0.2	+0.7	+1.2	+0.38	-
Acc	51%	33%	63%	70%	67%	66%	70%	65%	58%	66%	35%	62%	59%	65%	61%	62%	59%	49%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A deep bodied bull with length & capacity on a slightly larger frame. Top 10% SS, Rib Top 15% DOM, Top 20% 200, 400."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	6	6	6	5	5	C	1	4	

Purchaser..... \$.....

Lot 7 FARRER Q23^{PV} AMFU,CAFU,DD25%,NHFU HBR

Calved: 25/07/2019 Sex: M Ident: NFSQ23
 BOOROOMOOKA BARTEL J373^{SV}

Sire: **BLAM113 KNOWLA MANDELA M113^{PV}**
 KNOWLA DORIS K73^{SV}
 TE MANIA HOSKEN H681^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$111	\$112	\$112	\$108

Dam: **NFSN92 FARRER N92^{PV}**
 FARRER J28^{PV}

May 2021 Trans Tasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+6.1	1	4	2	+36	+68	9	19	1.1	-7	+6	+1.9	+1.0	+0.5	+1.9	+0.10	-		
Acc	50%		70%	67%	7%				67%	35%	62%	59%	66%	62%	62%	60%	49%	-	
BRD AVG	+2.0	+1	-4	+4.2	+48	+17	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

WITHDRAWN

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"Moderated framed bull with a tight sheath and good overall balance. Top 10% Rib, Top 20% BW & P8."

STRUCTURAL ASSESSMENT									
F	R	F	R	5	5	Muscle	Temp.	Sheath / Navel	
6	6	6	6	5	5	C	1	5	

Purchaser..... \$.....

Lot 8 FARRER Q24^{PV} AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF HBR

Calved: 26/07/2019 Sex: M Ident: NFSQ24
 BOOROOMOOKA BARTEL J373^{SV}

Sire: **BLAM113 KNOWLA MANDELA M113^{PV}**
 KNOWLA DORIS K73^{SV}
 CLUNIE RANGE LEGEND L348^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$118	\$108	\$127	\$111

Dam: **NFSN57 FARRER N57^{PV}**
 FARRER G25^{SV}

May 2021 Trans Tasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	-4.0	+5.8	-4.6	+6.3	+52	+82	+106	+118	+5	+2.7	-8.8	+58	+6.0	+1.9	+0.3	+0.5	+1.8	+0.17	-
Acc	53%	35%	67%	71%	70%	69%	71%	68%	62%	69%	38%	66%	63%	69%	65%	66%	64%	54%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A bull with a good butt profile and natural thickness along the topline. Top 10% Rib, Top 20% Mwt, SS"

STRUCTURAL ASSESSMENT									
F	R	F	R	5	5	Muscle	Temp.	Sheath / Navel	
6	6	6	6	6	5	C	1	5	

Purchaser..... \$.....

Lot 9 FARRER Q26^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 27/07/2019 Sex: M Ident: NFSQ26
 BOOROOMOOKA BARTEL J373^{SV}

Sire: **BLAM113 KNOWLA MANDELA M113^{PV}**
 KNOWLA DORIS K73^{SV}
 CLUNIE RANGE KING KONG K630^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$143	\$126	\$154	\$140

Dam: **NFSN36 FARRER N36^{PV}**
 FARRER L74^{PV}

May 2021 Trans Tasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	-0.9	+6.7	-5.7	+7.2	+63	+107	+154	+140	+17	+2.7	-2.9	+81	+6.2	-1.9	-3.3	+2.9	+1.0	-0.22	-
Acc	51%	34%	63%	69%	66%	66%	69%	64%	57%	66%	35%	61%	58%	65%	61%	61%	58%	48%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: CE,BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A longer bodied, larger framed Mandella son with good length of neck and head carriage. Natural thickness throughout with a strong topline. Top 1% RBY, ABI, Top 5% 200, 400, 600 & MWt, Top 10% CW, GRS, Top 15% DOM Top 20% SS & GRN."

STRUCTURAL ASSESSMENT									
F	R	F	R	5	5	Muscle	Temp.	Sheath / Navel	
6	5	6	6	5	5	C+	1	5	

Purchaser..... \$.....

Lot 10 FARRER Q31^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 10/08/2019 Sex: M Ident: NFSQ31

CONNELLY BLACK GRANITE#

Sire: USA18463791 QHF WWA BLACK ONYX 5Q11^{SV}

WILKS BLACKCAP 0D82#
TE MANIA HOSKEN H681^{PV}

Dam: NFSM13 FARRER M13^{PV}

FARRER K11^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$167	\$141	\$182	\$159

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+7.5	+8.9	-5.9	+4.0	+61	+107	+147	+126	+15	+1.8	-6.8	+85	+11.1	-0.2	-1.2	+1.5	+1.7	+0.44	-
Acc	37%	29%	69%	73%	70%	70%	72%	67%	61%	71%	35%	65%	62%	67%	63%	64%	62%	50%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A very deep bull with a strong topline, good butt profile whilst still exhibiting softness. Top 1% ABI, DOM, GRS, Top 5% 200, 400, 600, CW, EMA & GRN, Top 10% MWT, Top 15% RBY."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	6	6	7	6	5	C	1	4	

Purchaser..... \$.....

Lot 11 FARRER Q41^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 12/08/2019 Sex: M Ident: NFSQ41

MCC DAYBREAK#

Sire: USA17354047 G A R SCALE HOUSE^{PV}

G A R 5050 NEW DESIGN 1039#
DUNOON HONEYSUCKLE H240^{SV}

Dam: NFSL112 FARRER L112^{PV}

FARRER H054 H54^{SV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$170	\$145	\$201	\$154

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+1.4	+1.9	-4.5	+3.7	+64	+112	+145	+128	+13	+2.0	-5.6	+84	+10.2	-0.2	-2.4	+1.4	+3.6	+0.25	-
Acc	37%	30%	68%	73%	70%	70%	71%	67%	62%	70%	37%	65%	62%	67%	63%	64%	62%	51%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A bull with an expressive muscle pattern. Plenty of depth and capacity with a long body, good neck extension and head carriage. Top 1% ABI, DOM, GRN, GRS, Top 5% 200, 400, 600, CW, EMA, Top 10% Mwt, IMF, Top 15% RBY"

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
7	6	6	6	6	6	C+	1	5	

Purchaser..... \$.....

Lot 12 FARRER Q44^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 13/08/2019 Sex: M Ident: NFSQ44

EF COMMANDO 1366^{PV}

Sire: USA18219911 BALDRIDGE COMMAND C036^{PV}

BALDRIDGE BLACKBIRD A030#
MURRAY THUNDERBIRD K30^{PV}

Dam: NFSM64 FARRER M64^{PV}

FARRER H070 H70^{SV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$138	\$131	\$145	\$133

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+1.6	+3.3	-4.1	+4.4	+57	+100	+131	+111	+22	+2.1	-5.1	+84	+10.2	-0.6	-0.3	+1.6	+1.9	+0.00	-
Acc	41%	33%	74%	74%	72%	72%	72%	67%	61%	73%	38%	67%	65%	69%	65%	66%	64%	54%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"Has been running separate to the other bulls due to an ear infection. A bull with plenty of thickness, depth and capacity whilst retaining softness. Top 5% EMA, Top 10% 200, Milk, DOM, Top 15% 400, RBY, GRS Top 20% ABI."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	5	6	6	5	5	C+	1	4	

Purchaser..... \$.....

WITHDRAWN

Lot 13 FARRER Q45^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 13/08/2019 **Sex:** M **Ident:** NFSQ45
MCC DAYBREAK#

Sire: USA17354047 G A R SCALE HOUSE^{PV}
G A R 5050 NEW DESIGN 1039#
LAWSONS INCREDIBLE H803^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$151	\$135	\$173	\$141

Dam: NFSM1 FARRER M1^{PV}
FARRER K82^{PV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc
EBV	+6.7	+8.0	-7.1	+2.5	+61	+104	+138	+109	+20	+1.8	-4.5	+78	+4.9	-2.9	-3.9	+1.5	+2.8	-0.15	-
Acc	39%	31%	69%	73%	70%	70%	71%	67%	62%	71%	38%	65%	62%	67%	63%	64%	62%	52%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A bull with a strong topline and good length of body with a tight sheath & muscle expression. Top 5% 200, DOM, GRS, Top 10% 400, 600, CW, ABI, GRN, Top 15% BW, RBV Top 20% Milk"

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	6	6	6	6	6	C	1	5	

Purchaser.....\$.....

Lot 14 FARRER Q47^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 13/08/2019 **Sex:** M **Ident:** NFSQ47
CONNEALY BLACK GRANITE#

Sire: USA18463791 QHF WWA BLACK ONYX 5Q11^{SV}
WILKS BLACKCAP 0D82#
TE MANIA ELABORATION E309^{SV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$148	\$128	\$158	\$146

Dam: NFSK96 FARRER K96^{SV}
FARRER SUPRISE F41^{PV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc
EBV	+4.9	+3.6	-4.4	+4.6	+62	+114	+161	+140	+24	+2.1	-3.8	+84	+4.9	-1.3	-1.9	+1.3	+1.1	-0.07	-
Acc	39%	31%	73%	74%	71%	71%	73%	68%	63%	72%	37%	65%	63%	68%	64%	64%	63%	51%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A bull carrying plenty of natural thickness, a strong topline and deep throughout the barrel. Top 1% 600, Top 5% 200, 400, MWT, MILK, CW, GRS, Top 10% ABI, DOM Top 15% GRN Top 20% RBV"

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
7	6	6	6	5	5	C	1	4	

Purchaser.....\$.....

Lot 15 FARRER Q48^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 14/08/2019 **Sex:** M **Ident:** NFSQ48
TE MANIA BERKLEY B1^{PV}

Sire: HIOG5 AYRVALE GRADE G5^{PV}
AYRVALE EXCEL E4^{PV}
CONNEALY CONSENSUS 7229^{SV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$150	\$135	\$166	\$143

Dam: NFSL45 FARRER L45^{SV}
FARRER SUPRISE F41^{PV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc
EBV	+5.4	+5.3	-6.0	+5.5	+62	+108	+146	+122	+14	+2.1	-5.4	+84	+5.2	-2.8	-4.7	+2.3	+1.4	-0.16	-
Acc	41%	35%	70%	73%	71%	71%	73%	69%	66%	72%	44%	67%	64%	69%	66%	65%	64%	55%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A larger framed soft, easy fleshing bull with a strong topline and good muscle expression. Top 5% 200, 400, 600, CW, RBV, DOM, GRS, Top 10% ABI, GRN Top 15% Mwt"

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	6	6	6	5	5	C	1	5	

Purchaser.....\$.....

Lot 16 FARRER Q50^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 14/08/2019

Sex: M

Ident: NFSQ50

EF COMMANDO 1366^{PV}

Sire: USA18219911 BALDRIDGE COMMAND C036^{PV}

BALDRIDGE BLACKBIRD A030[#]

TE MANIA ELABORATION E309^{SV}

Dam: NFSL100 FARRER L100^{SV}

FARRER NAOMI F45^{SV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$155	\$132	\$171	\$148

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+11.0	+7.7	-6.0	+3.4	+56	+94	+133	+100	+16	+0.3	-4.2	+72	+10.7	-1.3	-1.6	+1.4	+2.5	+0.57	-
Acc	42%	34%	70%	74%	71%	71%	73%	69%	64%	71%	38%	65%	63%	68%	64%	64%	63%	52%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"Moderate framed, earlier maturing type bull with plenty of meat. Thick over the topline and expressive in the muscle pattern. Top 5% EMA, ABI, DOM, GRS, Top 10% GRN, Top 15% 200, 600."

STRUCTURAL ASSESSMENT								
F	R	F	R	Side	Topline	Muscle	Temp.	Sheath / Navel
6	6	6	6	5	5	C+	1	4

Purchaser.....\$.....

Lot 17 FARRER Q52^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 14/08/2019

Sex: M

Ident: NFSQ52

TE MANIA BERKLEY B1^{PV}

Sire: HIOG5 AYRVALE GRADE G5^{PV}

AYRVALE EXCEL E4^{PV}

TC TOTAL 410[#]

Dam: NFSH30 FARRER H030 H30^{SV}

FARRER NAOMI D17^{SV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$115	\$114	\$131	\$107

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	-0.8	+4.5	-5.4	+5.9	+59	+94	+115	+127	+8	+1.3	-5.9	+77	+4.8	-2.4	-4.7	+1.1	+2.3	-0.55	-
Acc	39%	34%	70%	73%	71%	71%	73%	69%	66%	72%	45%	67%	64%	69%	66%	66%	65%	56%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A long bodied bull with good length from hips to pins and a strong topline. Top 10% 200, Mwt Top 15% CW"

STRUCTURAL ASSESSMENT								
F	R	F	R	Side	Topline	Muscle	Temp.	Sheath / Navel
6	6	6	6	6	6	C	1	3

Purchaser.....\$.....

Lot 18 FARRER Q53^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 14/08/2019

Sex: M

Ident: NFSQ53

CONNEALY IN SURE 8524[#]

Sire: USA18181757 G A R FAIL SAFE^{PV}

G A R PROGRESS 830[#]

DUNOON EVIDENT E614^{PV}

Dam: NFSJ87 FARRER J87^{SV}

FARRER KIWI E68^{SV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$120	\$115	\$125	\$120

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	-9.5	-5.2	-3.4	+6.4	+61	+110	+141	+119	+18	+2.5	-1.5	+77	+8.8	-1.5	-0.9	+1.9	+1.6	-0.45	-
Acc	44%	35%	69%	72%	71%	71%	72%	68%	63%	67%	41%	66%	64%	68%	64%	65%	64%	55%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

"A larger framed bull with extra length and depth of body. Strong topline and good muscle pattern. Top 5% 200, 400, Top 10% 600, RBY Top 15% CW, EMA Top 20% Mwt"

STRUCTURAL ASSESSMENT								
F	R	F	R	Side	Topline	Muscle	Temp.	Sheath / Navel
7	6	6	6	5	5	C+	1	5

Purchaser.....\$.....

Lot 19 FARRER Q54^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 14/08/2019 Sex: M Ident: NFSQ54
 EF COMMANDO 1366^{PV}

Sire: USA18219911 BALDRIDGE COMMAND C036^{PV}
 BALDRIDGE BLACKBIRD A030[#]
 TE MANIA ELABORATION E309^{SV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$134	\$129	\$137	\$131

Dam: NFSJ96 FARRER J96^{SV}
 FARRER SUPRISE F41^{PV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+6.8	+7.4	-7.4	+2.9	+50	+80	+102	+78	+17	+1.8	-4.3	+53	+12.5	+0.0	-0.4	+2.6	+1.8	+0.40	-
Acc	42%	34%	70%	74%	72%	72%	73%	70%	66%	72%	38%	66%	64%	69%	65%	65%	64%	53%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A deep bodied bull with a strong topline, good neck extension and head carriage. Top 1% EMA, Top 5% RBY, Top 10% DOM, Top 20% BW, GRS."

STRUCTURAL ASSESSMENT								
F	R	F	R			Muscle	Temp.	Sheath / Navel
6	6	6	6	5	5	C+	1	5

Purchaser.....\$.....

Lot 20 FARRER Q59^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 15/08/2019 Sex: M Ident: NFSQ59
 EF COMMANDO 1366^{PV}

Sire: USA18219911 BALDRIDGE COMMAND C036^{PV}
 BALDRIDGE BLACKBIRD A030[#]
 LAWSONS INCREDIBLE H803^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$145	\$131	\$152	\$142

Dam: NFSM5 FARRER M5^{PV}
 FARRER K89^{SV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+6.5	+4.5	-5.6	+3.9	+54	+89	+122	+87	+21	+0.1	-3.8	+64	+14.6	-1.9	-1.9	+2.7	+1.7	+0.32	-
Acc	42%	34%	71%	74%	73%	72%	73%	71%	66%	73%	39%	67%	65%	70%	66%	66%	65%	54%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"Students pick. An eye catching bull with extra capacity, a good butt profile, strong topline and natural thickness from behind. Good neck extension and head carriage. Top 1% EMA, Top 5% RBY, Top 10% ABI, DOM, GRS Top 15% Milk, Top 20% 400."

STRUCTURAL ASSESSMENT								
F	R	F	R			Muscle	Temp.	Sheath / Navel
6	6	6	6	6	5	B-	1	4

Purchaser.....\$.....

Lot 21 FARRER Q60^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 15/08/2019 Sex: M Ident: NFSQ60
 MCC DAYBREAK[#]

Sire: USA17354047 G A R SCALE HOUSE^{PV}
 G A R 5050 NEW DESIGN 1039[#]
 TE MANIA JAMALABADI J328^{SV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$141	\$130	\$161	\$133

Dam: NFSM95 FARRER M95[#]
 FARRER SUPRISE F41^{PV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	-9.3	-3.3	-6.8	+9.2	+73	+123	+162	+166	+15	+1.8	-2.4	+90	+10.0	-3.7	-6.8	+4.5	+1.4	-0.21	-
Acc	38%	31%	71%	74%	72%	71%	72%	69%	63%	71%	39%	66%	63%	69%	64%	65%	64%	53%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A larger framed, later maturing type bull. Smooth muscle pattern with a tight sheath. Top 1% 200, 400, 600, MWT, RBY Top 10% EMA, DOM, Top 15% ABI, GRN, GRS."

STRUCTURAL ASSESSMENT								
F	R	F	R			Muscle	Temp.	Sheath / Navel
7	6	6	6	6	6	C	1	5

Purchaser.....\$.....

Lot 22 FARRER Q65^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 16/08/2019 **Sex:** M **Ident:** NFSQ65
 CONNEALY BLACK GRANITE#

Sire: USA18463791 QHF WWA BLACK ONYX 5Q11^{SV}
 WILKS BLACKCAP 0D82#
 G A R PROPHET^{SV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$160	\$141	\$175	\$154

Dam: NFSM85 FARRER M85^{PV}
 FARRER G113^{SV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+8.2	+7.8	-2.3	+2.0	+64	+115	+154	+130	+23	+1.7	-4.6	+85	+9.5	-1.1	-3.3	+1.9	+1.7	+0.22	-
Acc	39%	31%	71%	74%	71%	71%	73%	68%	62%	72%	39%	66%	64%	69%	65%	66%	64%	54%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A bull with a medium maturity pattern, good neck extension and head carriage with natural thickness and depth of body. Top 1% DOM, GRS, Top 5% 200, 400, 600, CW, ABI, GRN, Top 10% BW, MWT, Milk, EMA, RBY."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
7	7	7	7	5	5	C+	1	5	

Purchaser.....\$.....

Lot 23 FARRER Q66^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 16/08/2019 **Sex:** M **Ident:** NFSQ66
 CONNEALY IN SURE 8524#

Sire: USA18181757 G A R FAIL SAFE^{PV}
 G A R PROGRESS 830#
 LAWSONS INCREDIBLE H803^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$148	\$126	\$173	\$137

Dam: NFSM69 FARRER M69^{SV}
 FARRER G60^{PV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	-1.5	+1.2	-5.1	+4.9	+55	+96	+135	+114	+18	+2.6	-4.9	+80	+8.5	-3.4	-3.5	+2.3	+2.7	+0.21	-
Acc	44%	35%	70%	74%	71%	71%	73%	69%	63%	72%	40%	66%	64%	68%	64%	65%	64%	55%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"Moderate framed bull with adequate length of body and muscling. Top 10% CW, ABI, GRB, GRS Top 15% 600, EMA, DOM, Top 20% 200."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	6	6	6	5	5	C+	1	4	

Purchaser.....\$.....

Lot 24 FARRER Q72^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 18/08/2019 **Sex:** M **Ident:** NFSQ72
 CONNEALY BLACK GRANITE#

Sire: USA18463791 QHF WWA BLACK ONYX 5Q11^{SV}
 WILKS BLACKCAP 0D82#
 G A R PROPHET^{SV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$167	\$141	\$189	\$156

Dam: NFSM73 FARRER M73^{PV}
 FARRER H057 H57^{SV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+4.4	+5.6	-4.0	+3.7	+68	+115	+150	+126	+16	+1.5	-7.6	+79	+7.2	-0.1	-0.2	-0.3	+3.0	+0.26	-
Acc	40%	33%	71%	74%	72%	71%	73%	69%	63%	72%	40%	67%	64%	69%	65%	66%	64%	54%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A large framed, deep chested bull with plenty of natural thickness and capacity. Top 1% 200, ABI, DOM, GRS, Top 5% 400, 600, GRN, Top 10% MWT, CW, Top 20% IMF."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	7	6	6	6	6	C	1	4	

Purchaser.....\$.....

Lot 25 FARRER Q75^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 18/08/2019 Sex: M Ident: NFSQ75
TE MANIA BERKLEY B1^{PV}

Sire: HIOG5 AYRVALE GRADE G5^{PV}
AYRVALE EXCEL E4^{PV}
TE MANIA ELABORATION E309^{SV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$130	\$119	\$138	\$124

Dam: NFSK89 FARRER K89^{SV}
FARRER KIWI D83^{SV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc
EBV	-5.6	+1.1	-5.3	+7.5	+62	+95	+123	+97	+13	+2.2	-7.2	+68	+6.3	-1.2	-1.0	+1.6	+1.8	-0.68	-
Acc	41%	36%	72%	73%	71%	70%	72%	69%	66%	71%	42%	66%	63%	68%	65%	65%	63%	54%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"Long bodied bull with a strong topline. Top 5% 200, Top 10% RBV."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	5	6	6	5	5	C	1	5	

Purchaser.....\$.....

Lot 26 FARRER Q76^{PV} AMFU,CA1%,DDFU,NHFU HBR

Calved: 18/08/2019 Sex: M Ident: NFSQ76
MCC DAYBREAK[#]

Sire: USA17354047 G A R SCALE HOUSE^{PV}
G A R 5050 NEW DESIGN 1039[#]
DUNOON HONEYSUCKLE H240^{SV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$149	\$130	\$171	\$136

Dam: NFSM104 FARRER M104^E
FARRER G17^{SV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc
EBV	-2.1	+1.8	-4.2	+6.5	+62	+99	+130	+100	+16	+1.6	-6.6	+75	+8.5	-1.8	-2.9	+1.6	+3.0	+0.40	-
Acc	37%	31%	68%	73%	70%	69%	71%	67%	61%	70%	37%	64%	61%	66%	62%	63%	62%	51%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"Larger framed bull with a strong topline, depth of body and a tight sheath. Top 5% 200, Top 10% RBV, ABI, DOM, GRN, GRS, Top 15% 400, EMA, Top 20% 600, IMF."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	6	6	6	5	5	C	1	5	

Purchaser.....\$.....

Lot 27 FARRER Q79^{SV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 19/08/2019 Sex: M Ident: NFSQ79
TE MANIA BERKLEY B1^{PV}

Sire: HIOG5 AYRVALE GRADE G5^{PV}
AYRVALE EXCEL E4^{PV}
TE MANIA INFINITY 04 379 AB[#]

Selection Indexes			
ABI	DOM	GRN	GRS
\$106	\$106	\$112	\$100

Dam: NFSF64 FARRER FEDERATION F64^{PV}
FARRER FEDERATION C108^{SV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc
EBV	+8.5	+4.3	-4.1	+2.3	+36	+62	+74	+58	+14	+1.4	-7.4	+48	+6.1	+0.1	-0.9	+0.4	+2.4	+0.49	-
Acc	42%	37%	72%	74%	72%	72%	73%	70%	67%	72%	45%	67%	64%	69%	66%	66%	65%	56%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A moderate framed bull with a good butt profile. Top 15% BW."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
7	5	6	6	5	6	C	1	3	

Purchaser.....\$.....

Lot 28 FARRER Q80^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 19/08/2019 Sex: M Ident: NFSQ80
MCC DAYBREAK#

Sire: USA17354047 G A R SCALE HOUSE^{PV}
G A R 5050 NEW DESIGN 1039#
LAWSONS INCREDIBLE H803^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$171	\$152	\$196	\$158

Dam: NFSM80 FARRER M80^{SV}
FARRER G41^{SV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t c	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc
EBV	+3.2	+3.1	-2.8	+5.1	+62	+112	+145	+115	+20	+3.0	-6.5	+83	+11.0	-3.7	-6.1	+4.3	+1.8	+0.26	-
Acc	40%	33%	71%	74%	72%	71%	72%	69%	64%	72%	40%	67%	64%	69%	65%	66%	64%	54%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A later maturing type bull with good neck extension and a strong topline. Top 1% RBV, ABI, DOM, GRN, GRS, Top 5% 200, 400, 600, CW, EMA, Top 15% SS, Top 20% Milk."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	7	6	6	6	6	C	1	5	

Purchaser.....\$.....

Lot 29 FARRER Q81^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 19/08/2019 Sex: M Ident: NFSQ81
MCC DAYBREAK#

Sire: USA17354047 G A R SCALE HOUSE^{PV}
G A R 5050 NEW DESIGN 1039#
TE MANIA DOMINANCE D982^{SV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$139	\$129	\$146	\$136

Dam: NFSJ129 FARRER J129^{SV}
FARRER KIWI E63^{SV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t c	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc
EBV	-6.3	+2.9	-4.6	+6.1	+65	+105	+138	+108	+17	+3.2	-3.8	+74	+10.3	-1.3	-2.4	+3.3	+1.4	+0.38	-
Acc	37%	30%	68%	73%	69%	69%	71%	66%	61%	70%	36%	64%	60%	66%	62%	62%	61%	50%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A bull with a good butt profile and plenty of overall depth and capacity. Top 1% IMF, Top 5% 200, 600, EMA, Top 10% 400, SS, DOM, GRS, Top 20% CW, ABI."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	5	6	6	5	5	C+	1	5	

Purchaser.....\$.....

Lot 30 FARRER Q82^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 19/08/2019 Sex: M Ident: NFSQ82
CONNEALY IN SURE 8524#

Sire: USA18181757 G A R FAIL SAFE^{PV}
G A R PROGRESS 830#
TE MANIA HOSKEN H681^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$131	\$125	\$140	\$126

Dam: NFSL49 FARRER L49^{PV}
FARRER J82^{SV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t c	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc
EBV	+0.7	6	5	3	+49	+88	3	15	3	3	-4	+11	+11	-0.1	-0.7	+2.0	+2.1	-0.01	-
Acc	42%	6	5	74%	71%	71%	71%	71%	72%	39%	66%	64%	64%	69%	65%	65%	64%	54%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"Moderate framed, well muscled bull with a tight sheath. Top 5% SS, EMA, RBV Top 15% DOM."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	7	6	7	5	5	C	1	5	

Purchaser.....\$.....

WITHDRAWN

Lot 31 FARRER Q85^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 22/08/2019 Sex: M Ident: NFSQ85
 BOOROOMOOKA BARTEL J373^{SV}

Sire: **BLAM113 KNOWLA MANDELA M113^{PV}**
 KNOWLA DORIS K73^{SV}
 CLUNIE RANGE LEGEND L348^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$143	\$120	\$162	\$132

Dam: **NFSN56 FARRER N56^{PV}**
 FARRER H057 H57^{SV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	-6.3	+5.3	-6.3	+7.5	+64	+109	+148	+168	+8	+3.1	-7.7	+75	+6.2	+0.5	-0.8	+0.8	+1.9	+0.03	-
Acc	37%	31%	65%	70%	68%	68%	70%	67%	60%	68%	37%	64%	61%	67%	63%	64%	62%	52%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A bull with good neck extension and head carriage, deep chested and thick over the topline. Note: he has white in front of the pizzle so is APR only. Top 1% MWT, Top 5% 200, 400, 600, Top 10% SS, Top 15% CW, ABI, GRN, GRS."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
7	7	6	6	7	7	C	1	3	

Purchaser.....\$.....

Lot 32 FARRER Q86^{PV} AMFU,CA6%,DDFU,NHFU HBR

Calved: 23/08/2019 Sex: M Ident: NFSQ86
 MCC DAYBREAK#

Sire: **USA17354047 G A R SCALE HOUSE^{PV}**
 G A R 5050 NEW DESIGN 1039#
 TUWHARETOA REGENT D145^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$148	\$132	\$181	\$132

Dam: **NFSJ1 FARRER J1^{SV}**
 FARRER G18^{PV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	-9.2	-4.8	-1.6	+5.8	+64	+109	+135	+107	+15	+2.2	-4.6	+83	+8.5	-3.2	-3.3	+2.0	+4.1	-0.13	-
Acc	38%	33%	69%	73%	71%	70%	71%	68%	63%	71%	42%	66%	63%	68%	64%	65%	64%	54%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A long bodied bull with a smooth muscle pattern. Good depth of body and overall capacity. Top 5% 200, 400, CW, DOM, GRN, Top 10% ABI, Top 15% 600, EMA, GRS."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
7	5	6	6	5	5	C	1	4	

Purchaser.....\$.....

Lot 33 FARRER Q90^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 27/08/2019 Sex: M Ident: NFSQ90
 BOOROOMOOKA BARTEL J373^{SV}

Sire: **BLAM113 KNOWLA MANDELA M113^{PV}**
 KNOWLA DORIS K73^{SV}
 TE MANIA HOSKEN H681^{PV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$127	\$114	\$139	\$120

Dam: **NFSN97 FARRER N97^{PV}**
 FARRER H054 H54^{SV}

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+1.2	+8.1	-4.9	+5.8	+50	+83	+114	+118	+14	+2.5	-6.4	+67	+7.4	-0.4	-1.7	+1.5	+1.8	+0.23	-
Acc	34%	28%	63%	69%	67%	67%	70%	65%	58%	67%	34%	62%	58%	65%	61%	61%	59%	48%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"Moderate framed, easy doing bull with plenty of depth and capacity. Top 15% RBY."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	5	6	6	5	5	C	1	5	

Purchaser.....\$.....

Lot 34 FARRER Q92^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 31/08/2019 **Sex:** M **Ident:** NFSQ92
 RENNYLEA EDMUND E11^{PV}
Sire: NHZL14 HAZELDEAN LEURA L14^{SV}
 HAZELDEAN J221#
 DUNOON HONEYSUCKLE H240^{SV}
Dam: NFSL15 FARRER L16 L15^{PV}
 FARRER J91^{SV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$134	\$109	\$157	\$120

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+10.0	+0.4	-6.7	+2.6	+43	+76	+108	+100	+19	+0.8	-8.5	+63	+3.8	+0.2	+0.2	-0.7	+3.5	+0.47	-
Acc	36%	31%	62%	70%	67%	66%	68%	65%	59%	67%	38%	62%	59%	65%	61%	62%	59%	51%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A low birthweight bull, with a later maturity pattern. Top 10% IMF, Top 15% BW."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	5	6	6	5	5	C	1	5	

Purchaser.....\$.....

Lot 35 FARRER Q93^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 1/09/2019 **Sex:** M **Ident:** NFSQ93
 RENNYLEA EDMUND E11^{PV}
Sire: NHZL14 HAZELDEAN LEURA L14^{SV}
 HAZELDEAN J221#
 BONGONGO BULLETPROOF Z3^{PV}
Dam: NFSC66 FARRER VERONICA C66^{SV}
 FARRER VERONICA W46#

Selection Indexes			
ABI	DOM	GRN	GRS
\$127	\$109	\$139	\$121

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+3.6	-2.9	-6.7	+5.7	+53	+86	+124	+111	+15	+2.5	-6.6	+67	+3.6	-0.4	-1.1	+0.5	+2.0	-0.08	-
Acc	39%	34%	66%	72%	68%	68%	69%	66%	62%	67%	42%	64%	60%	66%	62%	63%	60%	53%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"Larger framed bull with plenty of capacity and length of body. Has a strong topline with good neck extension and head carriage."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	6	6	6	5	5	C+	1	5	

Purchaser.....\$.....

Lot 36 FARRER Q96^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 8/09/2019 **Sex:** M **Ident:** NFSQ96
 MURRAY POWER TOOL K8^{PV}
Sire: BLAN24 KNOWLA NAMBOUR N24^{PV}
 KNOWLA OAKGATE L06^{SV}
 TE MANIA BERKLEY B1^{PV}
Dam: NFSG53 FARRER G53^{SV}
 FARRER KIWI Z66#

Selection Indexes			
ABI	DOM	GRN	GRS
\$119	\$114	\$121	\$117

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+6.1	+7.4	-4.2	+2.2	+42	+81	+100	+76	+18	+1.7	-6.6	+61	+5.4	+1.5	+1.4	-0.5	+1.9	+0.31	-
Acc	37%	33%	66%	70%	67%	67%	68%	66%	61%	67%	40%	63%	60%	66%	62%	62%	60%	51%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A very deep bull, with extra length and capacity. Tight in the sheath area and a good butt profile, with natural thickness. Top 10% BW, Rib, P8."

STRUCTURAL ASSESSMENT									
F	R	F	R			Muscle	Temp.	Sheath / Navel	
6	5	6	6	5	5	C	1	4	

Purchaser.....\$.....

Lot 37 FARRER Q97^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 9/09/2019

Sex: M

Ident: NFSQ97

RENNYLEA EDMUND E11^{PV}

Sire: **NHZZ14 HAZELDEAN LEURA L14^{SV}**

HAZELDEAN J221[#]

AYRVALE BARTEL E7^{PV}

Dam: **NFSJ43 FARRER J43^{SV}**

FARRER KIWI E55^{SV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$150	\$120	\$174	\$139

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	-0.4	+2.5	-4.0	+7.2	+55	+100	+147	+127	+17	+2.4	-4.9	+83	+5.1	-0.8	-1.2	+0.6	+2.7	+0.04	-
Acc	40%	36%	66%	72%	69%	69%	70%	68%	63%	67%	44%	65%	62%	68%	64%	65%	63%	55%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"A very long bull with a later maturity pattern. Plenty of neck extension and head carriage as well as depth of body and a tight sheath. Top 5% 600, CW, Top 10% Mwt, ABI, GRN, GRS, Top 15% 400, Top 20% 200."

STRUCTURAL ASSESSMENT								
F	R	F	R			Muscle	Temp.	Sheath / Navel
7	6	7	7	6	6	C	1	5

Purchaser.....\$.....

Lot 38 FARRER Q100^{PV} AMFU,CAFU,DDFU,NHFU HBR

Calved: 27/09/2019

Sex: M

Ident: NFSQ100

RENNYLEA EDMUND E11^{PV}

Sire: **NHZZ14 HAZELDEAN LEURA L14^{SV}**

HAZELDEAN J221[#]

AYRVALE GENERAL G18^{PV}

Dam: **NFSL73 FARRER L73^{PV}**

FARRER H14^{SV}

Selection Indexes			
ABI	DOM	GRN	GRS
\$143	\$122	\$156	\$137

May 2021 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtr	GL	BWT	200	400	600	MCW	Milk	SS	D t C	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc
EBV	+5.6	-0.8	-3.9	+5.1	+54	+95	+137	+115	+19	+1.4	-4.0	+76	+8.1	-1.7	-2.4	+1.9	+1.8	+0.18	-
Acc	40%	35%	65%	71%	69%	68%	70%	67%	62%	67%	42%	65%	62%	67%	63%	65%	62%	54%	-
BRD AVG	+2.0	+2.5	-4.5	+4.2	+48	+87	+114	+99	+17	+2.0	-4.7	+65	+6.0	-0.1	-0.4	+0.5	+2.0	+0.17	+6

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

"Youngest bull in the draft with a long body, natural thickness, depth and capacity. Top 10% 600, RBY, GRS, Top 15% CW, ABI, top 20% 200, EMA, GRN."

STRUCTURAL ASSESSMENT								
F	R	F	R			Muscle	Temp.	Sheath / Navel
6	6	6	6	6	6	C	1	5

Purchaser.....\$.....

MAKE YOUR MARK WITH Marks-Min®

The **only** combined
Trace Minerals **and**
Vitamin B12 injectable
for cattle in Australia, in
a convenient single dose.



Available at your local rural store. For more information visit marksmin.com.au or call Boehringer Ingelheim Customer Care on 1800 808 691.



*See product label for full claim details and directions for use. Boehringer Ingelheim Animal Health Australia Pty. Ltd., Level 1, 78 Waterloo Road, North Ryde, NSW 2113 Australia. ABN 53 071 285. Marks-Min® is a registered trademark of the Boehringer Ingelheim Group. ©2021 all rights reserved. AU-CAT-0006-2021

EPRINEX®. THE POWER TO PRODUCE YOUR BEST.



Eprinex provides sustained activity to kill more species of worms for longer than any other pour-on. Eprinex is completely weather proof, not just rainfast - and has no milk or meat withholding period and no ESI.



**FOR MORE INFORMATION,
CALL 1800 808 691 OR VISIT
YOUR LOCAL STORE.**

eprinex.com.au

EPRINEX® is a registered trademark of the Boehringer Ingelheim Group. See product label for full claim details and directions for use. Boehringer Ingelheim Animal Health Australia Pty. Ltd., Level 1, 78 Waterloo Road, North Ryde, NSW 2113 Australia. AUS/IVEP-181003





FARRER

WHITE SUFFOLKS

Est. 1984 Flock No. 0139

27th Annual On-Property Sale

Undercover in Farrer's Trade Training Centre, Tamworth NSW

Wednesday 8th September 2021 at 11:30am



Farrer 160068 Sons Available

- 55 LambPlan Performance Recorded Rams
- All Genomic Tested (IMF & SF5)
- Helmsman Buying System
- LAMBPLAN® Gold Quality Data
- MN3 OJD Status
- Sale Catalogue / photographs on web (late August)

www.farrer.nsw.edu.au/white-suffolk-stud-1076.html

This year's catalogue again features progeny from some of Australia's leading performance sires which are all highly ranked on Lambplan's LEQ index.

Ashmore	170986	Waratah	180007 (Superwhites Ram)
Farrer	140019	Farrer	190111 (Superwhites Ram)
Farr	160068	Felix	180850 (Superwhites Ram)
Ella Matta	150097	Farrer	190074
Langley Height	180231	Farrer	190225

Inspection prior to the sale is most welcome

Darren Smith

mobile: 0413911182

darren.smith80@det.nsw.edu.au

Agents: Garvin & Cousens

BH (02) 67662901

AH (02) 67657335

BUYER'S INSTRUCTION SLIP

Name: _____

Address: _____

_____ Post Code: _____

Telephone: _____ Fax: _____

Mobile: _____

Email: _____

Lots Purchased: _____

Agent: _____

P.I.C.: _____

Insurance: _____

Special Instructions: _____

Signature: _____ Date: _____

CLIPEX[®]

Fencing & Stockyards

— THE —
CATTLE HANDLING
EXPERTS



AUTOMATIC, PNEUMATIC, & MANUAL CRUSHES - SEMI & PERMANENT YARDS

CLIPEX.COM.AU

| 1800 65 77 66



WE'VE GOT ALL YOUR NEEDS COVERED.

Elders has played a key role in rural Australia for more than 180 years. As a leading agribusiness, we are committed to providing you with a solution that meets your needs across every aspect of your livestock business. Using our specialist knowledge and access to a national network of contacts and market information, we can help you determine the most effective way to source and sell your livestock.

Elders Tamworth
P. 02 6765 3900
E. dg_tamworth@elders.com.au

Jon Goudge	0428 668 005
Nathan McConnell	0429 653 901
Shane Rule	0427 456 878
Brian Kennedy	0427 844 047
Paul Jameson	0428 667 998
Lincoln McKinlay	0419 239 963



Elders





FARRER MEMORIAL AGRICULTURAL HIGH SCHOOL

Years 7 to 12 Day and Boarding School for Boys

“Proudly committed to producing thinking, well-educated, skilled, flexible and caring people capable of confident and effective participation in society.”

Join the Farrer Family! 2022 applications now available

Contact: The Enrolments Officer, FMAHS
585 Calala Lane, via Tamworth 2340

Tel: (02) 6764 8607 **Fax:** (02) 6764 8648 **Email:** kerry.hussey@det.nsw.edu.au

Website: <http://www.farreragri-h.schools.nsw.edu.au/>